






Vintage fresh

ICONIC DESIGN PAIRS WITH A NOSTALGIC PALETTE IN OUR NEW LINE
OF VINTAGE INSPIRED FIXTURES FOR EXTERIOR AND INTERIOR
LIGHTING APPLICATIONS. DESIGNERS AND ARCHITECTS
WILL FIND THE SIMPLE, INDUSTRIAL STYLING, WIRE CAGING,
AND RETRO CHIC COLORS WILL ADD A TIMELESS TOUCH TO
RESTAURANTS, HOTELS, AND RETAIL LOCATIONS.








specifications

- Cast aluminum hub / wall canopy
- · Heavy duty spun aluminum shade
- · 200w incandescent maximum wattage
- · Lamps not included
- · Wall mounts are UL listed for wet locations






90° wall mounts

▶ choose a row and select finishes to complete your product number


SHADE	SELECT FINISH	ARM	SELECT FINISH	ACCES WIRE LAM	SSORY IP GUARD	SELECT FINISH
WFU5 14		E31UR 12		GUP120	GUP110	
WFU5 16		E31UR 16		GUP120	GUP110	
WFU518		E31UR 16		GUP120	GUP110	
WFU5 20		E31UR 18		GUP120	GUP110	
WFU5 22		E31UR 18		GUP120	GUP110	



gooseneck wall mounts

be choose a row and select finishes to complete your product number


SHADE	SELECT FINISH	ARM	SELECT FINISH		SSORY IP GUARD	SELECT FINISH
WFU5 14		E33UR14		GUP120	GUP110	
WFU5 16		E33UR 18		GUP120	GUP110	
WFU5 18		E33UR18		GUP120	GUP110	
WFU5 20		E33UR 22		GUP120	GUP110	
WFU5 22		E33UR 22		GUP120	GUP110	



straight wall mounts

choose a row and select finishes to complete your product number

SHADE	SELECT FINISH	ARM	SELECT FINISH		ACCESSORY WIRE LAMP GUARD	
WFU5 14		E35UR 12		GUP120	GUP110	
WFU5 16		E35UR 16		GUP120	GUP110	
WFU518		E35UR 16		GUP120	GUP110	
WFU5 20		E35UR18		GUP120	GUP110	
WFU5 22		E35UR 18		GUP120	GUP110	




pendants

▶ choose a row and select finishes to complete your product number

SHADE SELECT		8' CORD		HUB	SELECT FINISH*	ACCESSORIES			
SHADE	FINISH BLK WHT HOB F		FINISH*	WIRE LAN	IP GUARD	SELECT FINISH	CORD COVER		
WFU5 14		BLC	WHC	UR		GUP120	GUP110		TCPG
WFU5 16		BLC	WHC	UR		GUP120	GUP110		TCPG
WFU518		BLC	WHC	UR		GUP120	GUP110		TCPG
WFU5 20		BLC	WHC	UR		GUP120	GUP110		TCPG
WFU5 22		BLC	WHC	UR		GUP120	GUP110		TCPG

*Same finish on canopy and hub.



featured finishes

		inolaaling mi	armo grado a		pagozo		
11	10	47	12	53	41	81	13
cantaloupe	aspen green	aqua green	lilac	copper clay	black	extreme chrome	putty




contempo barn








Featured: WDU520-11-BLCUE-13












specifications

- · Cast aluminum hub / wall canopy
- · Heavy duty spun aluminum shade
- 200w incandescent maximum wattage
- · Lamps not included
- · Wall mounts are UL listed for wet locations










90° wall mounts

▶ choose a row and select finishes to complete your product number


SHADE	SELECT FINISH	ARM	SELECT FINISH	ACCES WIRE LAM		SELECT FINISH
WDU5 14		E31UE 12		GUP120	GUP110	
WDU516		E31UE 16		GUP120	GUP110	
WDU518		E31UE 16		GUP120	GUP110	
WDU5 20		E31UE 18		GUP120	GUP110	
WDU5 22		E31UE 18		GUP120	GUP110	



gooseneck wall mounts

▶ choose a row and select finishes to complete your product number

SHADE	SELECT FINISH	ARM	SELECT FINISH	ACCES WIRE LAN	SSORY MP GUARD	SELECT FINISH
WDU5 14		E33UE 14		GUP120	GUP110	
WDU516		E33UE 18		GUP120	GUP110	
WDU518		E33UE 18		GUP120	GUP110	
WDU520		E33UE 22		GUP120	GUP110	
WDU522		E33UE 22		GUP120	GUP110	



straight wall mounts

▶ choose a row and select finishes to complete your product number

SHADE	SELECT FINISH	ARM	SELECT FINISH	ACCES WIRE LAN		SELECT FINISH
WDU5 14		E35UE 12		GUP120	GUP110	
WDU5 16		E35UE 16		GUP120	GUP110	
WDU518		E35UE 16		GUP120	GUP110	
WDU520		E35UE 18		GUP120	GUP110	
WDU5 22		E35UE 18		GUP120	GUP110	




pendants

b choose a row and select finishes to complete your product number

SHADE	SELECT	8' CORD		HUB	SELECT		ACCE	ACCESSORIES		
SHADE	FINISH	BLK	WHT	нив	FINISH*	WIRE LAN	IP GUARD	SELECT FINISH	CORD COVER	
WDU5 14		BLC	WHC	UE		GUP120	GUP110		TCPG	
WDU516		BLC	WHC	UE		GUP120	GUP110		TCPG	
WDU518		BLC	WHC	UE		GUP120	GUP110		TCPG	
WDU5 20		BLC	WHC	UE		GUP120	GUP110		TCPG	
WDU522		BLC	WHC	UE		GUP120	GUP110		TCPG	

*Same finish on canopy and hub.



featured finishes

11	10	47	12	53	41	81	13
cantaloupe	aspen green	aqua green	lilac	copper clay	black	extreme chrome	putty








Featured: EU814-12-WHCUR-13



specifications

- Cast aluminum hub / wall canopy
- · Heavy duty spun aluminum shade
- · 200w incandescent maximum wattage
- · Lamps not included
- · Wall mounts are UL listed for wet locations






90° wall mounts

▶ choose a row and select finishes to complete your product number


SHADE	SELECT FINISH	ARM	SELECT FINISH	ACCES WIRE LAN		SELECT FINISH
EU8 14		E31UR 12		GUP120	GUP110	
EU8 16		E31UR 16		GUP120	GUP110	
EU818		E31UR 16		GUP120	GUP110	
EU8 20		E31UR18		GUP120	GUP110	
EU8 22		E31UR 18		GUP120	GUP110	



gooseneck wall mounts

▶ choose a row and select finishes to complete your product number


SHADE	SELECT FINISH	ARM	SELECT FINISH	ACCES WIRE LAN		SELECT FINISH
EU8 14		E33UR 14		GUP120	GUP110	
EU816		E33UR 18		GUP120	GUP110	
EU818		E33UR18		GUP120	GUP110	
EU8 20		E33UR 22		GUP120	GUP110	
EU8 22		E33UR 22		GUP120	GUP110	



straight wall mounts

▶ choose a row and select finishes to complete your product number

SHADE	SELECT FINISH	ARM	SELECT FINISH	ACCES WIRE LAN		SELECT FINISH
EU8 14		E35UR 12		GUP120	GUP110	
EU816		E35UR16		GUP120	GUP110	
EU818		E35UR16		GUP120	GUP110	
EU8 20		E35UR18		GUP120	GUP110	
EU8 22		E35UR18		GUP120	GUP110	




pendants

 \blacktriangleright choose a row and select finishes to complete your product number

SHADE	SELECT	8' C	ORD	LILID	SELECT	ACCESSORIES				
SHADE	FINISH	BLK	WHT	HUB	FINISH*	WIRE LAN	IP GUARD	SELECT FINISH	CORD COVER	
EU8 14		BLC	WHC	UR		GUP120	GUP110		TCPG	
EU816		BLC	WHC	UR		GUP120	GUP110		TCPG	
EU818		BLC	WHC	UR		GUP120	GUP110		TCPG	
EU8 20		BLC	WHC	UR		GUP120	GUP110		TCPG	
EU822		BLC	WHC	UR		GUP120	GUP110		TCPG	

*Same finish on canopy and hub.



featured finishes

11	10	47	12	53	41	81	13
cantaloupe	aspen green	aqua green	lilac	copper clay	black	extreme chrome	putty










Featured: EU916-11-BLCUE-13-GUP120-13-TCPG

EU914 EU916 EU918 EU920 EU922

specifications

- Cast aluminum hub / wall canopy
- · Heavy duty spun aluminum shade
- · 200w incandescent maximum wattage
- Lamps not included
- · Wall mounts are UL listed for wet locations






90° wall mounts

▶ choose a row and select finishes to complete your product number


SHADE	SELECT FINISH	ARM	SELECT FINISH	ACCES WIRE LAN	SSORY IP GUARD	SELECT FINISH
EU9 14		E31UE 12		GUP120	GUP110	
EU9 16		E31UE 16		GUP120	GUP110	
EU918		E31UE 16		GUP120	GUP110	
EU9 20		E31UE 18		GUP120	GUP110	
EU9 22		E31UE 18		GUP120	GUP110	



gooseneck wall mounts

▶ choose a row and select finishes to complete your product number

SHADE	SELECT FINISH	ARM	SELECT FINISH	ACCES WIRE LAN		SELECT FINISH
EU9 14		E33UE 14		GUP120	GUP110	
EU916		E33UE 18		GUP120	GUP110	
EU918		E33UE 18		GUP120	GUP110	
EU9 20		E33UE 22		GUP120	GUP110	
EU9 22		E33UE 22		GUP120	GUP110	



straight wall mounts

▶ choose a row and select finishes to complete your product number

SHADE	SELECT FINISH	ARM	SELECT FINISH		ACCESSORY WIRE LAMP GUARD	
EU9 14		E35UE 12		GUP120	GUP110	
EU9 16		E35UE 16		GUP120	GUP110	
EU918		E35UE 16		GUP120	GUP110	
EU9 20		E35UE 18		GUP120	GUP110	
EU9 22		E35UE 18		GUP120	GUP110	




pendants

 \blacktriangleright choose a row and select finishes to complete your product number

SHADE	SELECT 8' CORD		HUB SELECT		ACCESSORIES				
SHADE	FINISH	BLK	WHT	нив	SELECT FINISH*	WIRE LAN	IP GUARD	SELECT FINISH	CORD COVER
EU9 14		BLC	WHC	UE		GUP120	GUP110		TCPG
EU916		BLC	WHC	UE		GUP120	GUP110		TCPG
EU918		BLC	WHC	UE		GUP120	GUP110		TCPG
EU9 20		BLC	WHC	UE		GUP120	GUP110		TCPG
EU922		BLC	WHC	UE		GUP120	GUP110		TCPG

*Same finish on canopy and hub.



featured finishes


11	10	47	12	53	41	81	13
cantaloupe	aspen green	aqua green	lilac	copper clay	black	extreme chrome	putty







Featured: BRU16-47-BLCUT-13



specifications

- Cast aluminum hub / wall canopy
- · Heavy duty spun aluminum shade
- 200w incandescent maximum wattage
- · Lamps not included
- · Wall mounts are UL listed for wet locations






Shade Diameter

90° wall mounts

▶ choose a row and select finishes to complete your product number

BRU22


SHADE	SELECT FINISH	ARM	SELECT FINISH	ACCES WIRE LAM	SSORY IP GUARD	SELECT FINISH
BRU 14		E31UT 12		GUP120	GUP110	
BRU 16		E31UT 16		GUP120	GUP110	
BRU18		E31UT 16		GUP120	GUP110	
BRU20		E31UT 18		GUP120	GUP110	
BRU 22		E31UT 18		GUP120	GUP110	



gooseneck wall mounts

▶ choose a row and select finishes to complete your product number

SHADE	SELECT FINISH	ARM	SELECT FINISH	ACCES WIRE LAN		SELECT FINISH
BRU 14		E33UT 14		GUP120	GUP110	
BRU16		E33UT 18		GUP120	GUP110	
BRU18		E33UT 18		GUP120	GUP110	
BRU20		E33UT 22		GUP120	GUP110	
BRU 22		E33UT 22		GUP120	GUP110	



straight wall mounts

▶ choose a row and select finishes to complete your product number

SHADE	SELECT FINISH	ARM	SELECT FINISH	ACCES WIRE LAN		SELECT FINISH
BRU 14		E35UT 12		GUP120	GUP110	
BRU 16		E35UT 16		GUP120	GUP110	
BRU18		E35UT 16		GUP120	GUP110	
BRU20		E35UT18		GUP120	GUP110	
BRU 22		E35UT 18		GUP120	GUP110	




pendants

 \blacktriangleright choose a row and select finishes to complete your product number

SHADE	SELECT	8' C	ORD	LILID	SELECT	ACCESSORIES				
SHADE	FINISH	BLK	WHT	HUB	FINISH*	WIRE LAN	IP GUARD	SELECT FINISH	CORD COVER	
BRU14		BLC	WHC	UT		GUP120	GUP110		TCPG	
BRU16		BLC	WHC	UT		GUP120	GUP110		TCPG	
BRU18		BLC	WHC	UT		GUP120	GUP110		TCPG	
BRU20		BLC	WHC	UT		GUP120	GUP110		TCPG	
BRU22		BLC	WHC	UT		GUP120	GUP110		TCPG	


*Same finish on canopy and hub.



featured finishes

11	10	47	12	53	41	81	13
cantaloupe	aspen green	aqua green	lilac	copper clay	black	extreme chrome	putty







LSU16







specifications


· Cast aluminum hub / wall canopy

LSU22

- · Heavy duty spun aluminum shade
- 200w incandescent maximum wattage
- · Lamps not included
- · Wall mounts are UL listed for wet locations








90° wall mounts

▶ choose a row and select finishes to complete your product number


SHADE	SELECT FINISH	ARM	SELECT FINISH	ACCES WIRE LAM		SELECT FINISH
LSU12		E31UE 10		GUP120	GUP110	
LSU 14		E31UE 12		GUP120	GUP110	
LSU16		E31UE 16		GUP120	GUP110	
LSU18		E31UE 16		GUP120	GUP110	
LSU20		E31UE 18		GUP120	GUP110	
LSU22		E31UE 18		GUP120	GUP110	



gooseneck wall mounts

▶ choose a row and select finishes to complete your product number

SHADE	SELECT FINISH	ARM	SELECT FINISH	ACCES WIRE LAM		SELECT FINISH
LSU12		E33UE 14		GUP120	GUP110	
LSU14		E33UE 14		GUP120	GUP110	
LSU16		E33UE 18		GUP120	GUP110	
LSU18		E33UE 18		GUP120	GUP110	
LSU20		E33UE 22		GUP120	GUP110	
LSU22		E33UE 22		GUP120	GUP110	



straight wall mounts

▶ choose a row and select finishes to complete your product number

SHADE	SELECT	ARM	SELECT	ACCES	SSORY	SELECT
SHADE	FINISH	ALTIVI	FINISH	WIRE LAN	IP GUARD	FINISH
LSU12		E35UE10		GUP120	GUP110	
LSU14		E35UE 12		GUP120	GUP110	
LSU16		E35UE 16		GUP120	GUP110	
LSU18		E35UE 16		GUP120	GUP110	
LSU20		E35UE 18		GUP120	GUP110	
LSU22		E35UE 18		GUP120	GUP110	




pendants

b choose a row and select finishes to complete your product number

SHADE	SELECT	8' C	8' CORD		SELECT	ACCESSORIES				
SHADE	FINISH	BLK	WHT	HUB	FINISH*	WIRE LAN	IP GUARD	SELECT FINISH	CORD COVER	
LSU12		BLC	WHC	UE		GUP120	GUP110		TCPG	
LSU14		BLC	WHC	UE		GUP120	GUP110		TCPG	
LSU16		BLC	WHC	UE		GUP120	GUP110		TCPG	
LSU18		BLC	WHC	UE		GUP120	GUP110		TCPG	
LSU20		BLC	WHC	UE		GUP120	GUP110		TCPG	
LSU22		BLC	WHC	UE		GUP120	GUP110		TCPG	

*Same finish on canopy and hub.




featured finishes


		inolaaling mi	armo grado a		pagozo		
11	10	47	12	53	41	81	13
cantaloupe	aspen green	aqua green	lilac	copper clay	black	extreme chrome	putty



Featured: BEU13-53-BLCUR-53








specifications

- Cast aluminum hub / wall canopy
- · Heavy duty spun aluminum shade
- 200w incandescent maximum wattage
- · Lamps not included
- · Wall mounts are UL listed for wet locations





90° wall mounts

▶ choose a row and select finishes to complete your product number


SHADE	SELECT FINISH	ARM	SELECT FINISH	ACCES WIRE LAM	SSORY IP GUARD	SELECT FINISH
BEU 13		E31UR 12		GUP120	GUP110	
BEU 15		E31UR 16		GUP120	GUP110	
BEU 18		E31UR 16		GUP120	GUP110	
BEU20		E31UR 18		GUP120	GUP110	
BEU 22		E31UR 18		GUP120	GUP110	



gooseneck wall mounts

be choose a row and select finishes to complete your product number

SHADE	SELECT FINISH	ARM	SELECT FINISH	ACCES WIRE LAM	SSORY IP GUARD	SELECT FINISH
BEU13		E33UR 14		GUP120	GUP110	
BEU 15		E33UR18		GUP120	GUP110	
BEU18		E33UR 18		GUP120	GUP110	
BEU20		E33UR 22		GUP120	GUP110	
BEU 22		E33UR 22		GUP120	GUP110	



straight wall mounts

▶ choose a row and select finishes to complete your product number

SHADE	SELECT FINISH	ARM	SELECT FINISH	ACCES WIRE LAN		SELECT FINISH
BEU13		E35UR 12		GUP120	GUP110	
BEU 15		E35UR16		GUP120	GUP110	
BEU 18		E35UR16		GUP120	GUP110	
BEU20		E35UR18		GUP120	GUP110	
BEU 22		E35UR18		GUP120	GUP110	




pendants

choose a row and select finishes to complete your product number

SHADE	SELECT	8' C	8' CORD		SELECT	ACCESSORIES				
SHADE	FINISH	BLK	WHT	HUB	SELECT FINISH*	WIRE LAN	IP GUARD	SELECT FINISH	CORD COVER	
BEU13		BLC	WHC	UR		GUP120	GUP110		TCPG	
BEU 15		BLC	WHC	UR		GUP120	GUP110		TCPG	
BEU18		BLC	WHC	UR		GUP120	GUP110		TCPG	
BEU20		BLC	WHC	UR		GUP120	GUP110		TCPG	
BEU22		BLC	WHC	UR		GUP120	GUP110		TCPG	

*Same finish on canopy and hub.



featured finishes

		l l l l l l l l l l l l l l l l l l l	, and the second			1200	
						11 100	
11	10	47	12	53	41	81	13
cantaloupe	aspen green	aqua green	lilac	copper clay	black	extreme chrome	putty











Featured: BBU16-47-BLCUT-81-TCPG



specifications

- · Cast aluminum hub / wall canopy
- · Heavy duty spun aluminum shade
- 200w incandescent maximum wattage
- · Lamps not included
- · Wall mounts are UL listed for wet locations






90° wall mounts

▶ choose a row and select finishes to complete your product number


SHADE	SELECT FINISH	ARM	SELECT FINISH		ACCESSORY WIRE LAMP GUARD	
BBU 14		E31UT 12		GUP120	GUP110	
BBU 16		E31UT 16		GUP120	GUP110	
BBU 19		E31UT 16		GUP120	GUP110	
BBU 22		E31UT 18		GUP120	GUP110	



gooseneck wall mounts

▶ choose a row and select finishes to complete your product number

SHADE	SELECT FINISH	ARM	SELECT FINISH	ACCESSORY WIRE LAMP GUARD		SELECT FINISH
BBU 14		E33UT 14		GUP120	GUP110	
BBU 16		E33UT 18		GUP120	GUP110	
BBU 19		E33UT 18		GUP120	GUP110	
BBU 22		E33UT 22		GUP120	GUP110	



straight wall mounts

choose a row and select finishes to complete your product number

SHADE	SELECT FINISH	ARM	SELECT FINISH		ACCESSORY WIRE LAMP GUARD	
BBU 14		E35UT 12		GUP120	GUP110	
BBU 16		E35UT 16		GUP120	GUP110	
BBU 19		E35UT 16		GUP120	GUP110	
BBU 22		E35UT18		GUP120	GUP110	




pendants

▶ choose a row and select finishes to complete your product number

SHADE SELEC		SELECT 8' CORD		SELECT		ACCESSORIES			
SHADE	FINISH	BLK	WHT	HUB SELECT FINISH*		WIRE LAN	IP GUARD		CORD COVER
BBU 14		BLC	WHC	UT		GUP120	GUP110		TCPG
BBU 16		BLC	WHC	UT		GUP120	GUP110		TCPG
BBU 19		BLC	WHC	UT		GUP120	GUP110		TCPG
BBU 22		BLC	WHC	UT		GUP120	GUP110		TCPG

*Same finish on canopy and hub.



featured finishes

						111	
11	10	47	12	53	41	81	13
cantaloupe	aspen green	aqua green	lilac	copper clay	black	extreme chrome	putty

ALL PRODUCTS AVAILABLE IN MODULAR CREE® LED.







Featured: VBURGUP110-1-41


specifications

- Cast aluminum hub / back plate
- · 200w incandescent maximum wattage
- · Lamps not included
- · Wall mounts are UL listed for wet locations










VBUEGUP110




VBUEGUP110



VBUTGUP110








VBUTGUP120 VBURGUP120







MODEL	SELECT FINISH
VBUEGUP110-1	
VBUEGUP120-1	
VBUTGUP110-1	
VBUTGUP120-1	
VBURGUP110-1	
VBURGUP120-1	




VBUEGUP110




VBUEGUP120



VBUEGUP110 VBUTGUP110



VBUEGUP120 VBUTGUP120




VBURGUP110



double

triple

MODEL	SELECT FINISH
VBUEGUP110-2	
VBUEGUP120-2	
VBUTGUP110-2	
VBUTGUP120-2	
VBURGUP110-2	
VBURGUP120-2	











VBURGUP110 VBURGUP120

VBUEGUP110-3	
VBUEGUP120-3	
VBUTGUP110-3	
VBUTGUP120-3	
VBURGUP110-3	
VBURGUP120-3	

MODEL

SELECT FINISH

featured finishes

VBUEGUP120 VBUTGUP120

Additional littish options including marine grade available – see page 29							
11	10	47	12	53	41	81	13
cantaloupe	aspen green	aqua green	lilac	copper clay	black	extreme chrome	putty



Featured: GUP110-BLCUR-53

GUP120-E33UE14-47


specifications

- · Cast aluminum hub / wall canopy
- · 200w incandescent maximum wattage
- · Lamps not included
- · Wall mounts are UL listed for wet locations

















GUP110 - UR







GUP120 - UE





GUP120 - UE

90° wall mounts

▶ choose a row and select finish to complete your product number

MODEL	ARM	SELECT FINISH
GUP110	E31UR 10	
GUP110	E31UR 12	
GUP110	E31UR 16	
GUP120	E31UE 10	
GUP120	E31UE 12	
GUP120	E31UE 16	

gooseneck wall mounts

▶ choose a row and select finish to complete your product number

MODEL	ARM	SELECT FINISH
GUP110	E33UR14	
GUP110	E33UR18	
GUP110	E33UR 22	
GUP120	E33UE 14	
GUP120	E33UE 18	
GUP120	E33UE 22	

straight wall mounts

choose a row and select finish to complete your product number

MODEL	ARM	SELECT FINISH
GUP110	E35UR10	
GUP110	E35UR12	
GUP120	E35UE10	
GUP120	E35UE 12	

pendants

be choose a row and select size and finish to complete your product number

MODEL		8' CORD	SELECT	ACCESSORIY
MODEL	BLK	WHT	FINISH	GREY CORD COVER
GUP110	BLCUR	WHCUR		TCPG
GUP120	BLCUE	WHCUE		TCPG

accessory (optional)

GUP110 - UR




featured finishes

► Additional finish options including marine grade available – see page 29

11	10	47	12	53	41	81	13
cantaloupe	aspen green	aqua green	lilac	copper clay	black	extreme chrome	putty

grey cord cover


vintage emblem







Featured: MU712-11-E35UE26-11




MU712

MU714

specifications

- Cast aluminum hub / wall canopy
- · Heavy duty spun aluminum shade
- 200w incandescent maximum wattage
- · Lamps not included
- · Wall mounts are UL listed for wet locations






90° wall mounts

▶ choose a row and select finish to complete your product number


SHADE	SELECT FINISH	ARM	SELECT FINISH
MU7 12		E31UE 26	
MU7 14		E31UE 26	



gooseneck wall mounts

choose a row and select finish to complete your product number

SHADE	SELECT FINISH	ARM	SELECT FINISH
MU7 12		E33UE 26	
MU7 14		E33UE 26	



straight wall mounts

▶ choose a row and select finish to complete your product number

SHADE	SELECT FINISH	ARM	SELECT FINISH
MU7 12		E35UE 26	
MU7 14		E35UE 26	

featured finishes

7 taditional			grade a	as available see page 25			
11	10	47	12	53	41	81	13
cantaloupe	aspen green	aqua green	lilac	copper clay	black	extreme chrome	putty

vintage angle







Featured: AU814-47-E35UR26-47






AU812 AU814

specifications

- Cast aluminum hub / wall canopy
- · Heavy duty spun aluminum shade
- · 200w incandescent maximum wattage
- · Lamps not included
- · Wall mounts are UL listed for wet locations






90° wall mounts

▶ choose a row and select finish to complete your product number


SHADE	SELECT FINISH	ARM	SELECT FINISH
AU812		E31UR 26	
AU8 14		E31UR 26	



gooseneck wall mounts

choose a row and select finish to complete your product number

SHADE	SELECT FINISH	ARM	SELECT FINISH
AU8 12		E33UR 26	
AU8 14		E33UR 26	



straight wall mounts

be choose a row and select finish to complete your product number

SHADE	SELECT FINISH	ARM	SELECT FINISH
AU8 12		E35UR 26	
AU8 14		E35UR 26	

featured finishes

11	10	47	12	53	41	81	13
cantaloupe	aspen green green	aqua green	lilac	copper clay	black	extreme chrome	putty

color finishes and accessories

the colors of retropolitan™

Our retropolitan line is available in a wide array of colors to beautifully complement your environment.

Our colors are painted at a TIGER Drylac® approved facility, and are finished in our polyester powder coat for exceptional durability and color retention. Products undergo an intensive five-step process in which they are cleansed, treated with iron phosphate, and sealed to pre-treat the metal surface for maximum paint adhesion. Whether applied as a textured coat or a smooth gloss, our high quality finish is electro-statically applied and baked at 430° for maximum hardness and wear. The end result is a tough, attractive, durable, scratch resistant, and cost-effective product.

marine grade


For lighting fixtures exposed to more extreme conditions, such as those found in coastal regions or industrial environments, we offer a marine grade finish that provides superior salt, humidity, and UV protection. This specialty liquid coating, available for an additional charge, withstands up to 3000 hours of continuous salt spray, comes with a 5-year warranty and is available in either a textured or gloss surface. Consult with our factory for additional paint charges.

accessories

Complement any product with a wire lamp guard in a wide range of colors for that added barn light finish.

Our newest product feature is a basket weave sheath that takes a standard white or black cord to a premium finish.

standard colors



premium designer color




81 extreme chrome 129 marine grade

accessories



TCPG grey cord sheath



wire lamp guards GUP120 | GUP110

PROUDLY MADE IN THE U.S.A.



All ANP Lighting products are made in the U.S.A. in our family owned and operated factory. We are also proud to note that all ANP Lighting products meet the requirements of the Buy American Act; Section 1605 of the American Recovery Reinvestment Act (ARRA). Our RLM products are U.L. listed and feature high-quality aluminum construction.

TERMS & CONDITIONS OF SALE

TERMS

Terms are "Net 30 Days" for customers with approved credit. Past due invoices will be subject to a service charge equal to 1-1/2 % per month. No C.O.D.

GENERAL CONDITIONS

Orders will be billed at prices in effect at time of shipment. Prices are subject to change without notice.

CUSTOM COLORS must be approved, in writing, by the customer before the order is processed. Standard custom color set-up fee will apply per color. Some custom colors may warrant a higher set-up fee.

SAMPLE POLICY

Customer will be billed for the cost of the sample and any freight charges incurred. Design may change at factory's discretion. The samples are returnable at customer's expense but no restock fee will be applied.

FIXTURE WARRANTY

ANP RESERVES THE RIGHT TO ASK FOR SAID DEFECTIVE PRODUCT TO BE RETURNED FOR INSPECTION. IN SOME CASES, REPLACEMENT PRODUCT WILL BE INVOICED UNTIL A DETERMINATION BY ANP THAT PRODUCT IS IN FACT, DEFECTIVE

Once determined defective, ANP will repair or replace freight prepaid, any ANP product defective in workmanship or materials. ANP reserves the right to ship replacement parts via the most economical way. Customer is responsible for any freight charges over normal ground rates. Such replacement is the exclusive remedy against ANP should any of the fixtures delivered prove defective, and is limited to one year from date of shipment for materials and 90 days for labor. We reserve the right to determine the best method of correcting problems.

WRITTEN APPROVAL IS NECESSARY FOR ANY CHARGE-BACKS OF LABOR OR MATERIAL. COMPONENTS NOT MANUFACTURED BY ANP ARE SUBJECT TO THE ORIGINAL MANUFACTURER'S WARRANTY

BALLAST WARRANTY

Ballasts, capacitors and igniters are guaranteed by the ballast manufacturer. Units will be exchanged by the local ballast manufacture's authorized dealer or by ANP Lighting, acting as their agent. Neither the ballast manufacture, his agent nor ANP Lighting will honor cash reimbursement claim to cover material charges for replacement ballasts, capacitors or igniters. No charges for rental of equipment or travel time will be paid by ANP Lighting. If the customer feels they will want labor reimbursement, they need to handle the defective item DIRECTLY through the ballast manufacturer.

EXPEDITE FEE

Orders requiring special or expedited lead times will be assessed a fee.

FREIGHT POLICY

IF ANCHOR BOLTS AND TEMPLATE ARE REQUIRED BEFORE SCHEDULED SHIP DATE, A SEPARATE FREIGHT CHARGE WILL APPLY.

FREIGHT ALLOWED

Minimum freight charge may apply. Arbitrary charges from carrier such as but not limited to lift-gate service, restricted area, residential and construction site delivery are not included in freight allowed orders and will be billed. Freight allowed orders requiring AIR service or other excessive freight charges will only be allowed standard ground freight LTL charges. Additional freight cost will be billed.

NON FREIGHT ALLOWED ORDERS

Freight F.O.B. Montclair, CA 91763. Minimum freight charge may apply and may be shipped entirely at customer's expense.

OUTSIDE CONTIGUOUS U.S.A

Transportation charges to points outside the contiguous USA will be the responsibility of the customer. The customer must provide either their UPS or FedEx account number to bill the freight charges on, as ANP will no longer bill those charges to the invoice. If shipment moves via LTL carrier, all the freight arrangements must be made by the customer.

FREIGHT CLAIMS


Title passes to consignee on delivery to carrier. Freight claims are your responsibility. All concealed damage/piece shortages and damaged merchandise claims must be filed by receiving party to the delivering carrier. ANP Lighting will not accept claims for any of the above. File your claim with the carrier for loss or damage. Shipments travel at PURCHASER'S RISK. If in the unlikely event the merchandise is defective, the claim to ANP Lighting must be made within ten (10) days.

CANCELLATION/RETURN OF MATERIAL

Cancellation Requests must be received in writing. A cancellation fee of 50% may be applied.

RETURN OF MATERIAL

Material cannot be returned without prior written permission from the Factory. Requests to return material must be made within 30 days from the date of shipment and must show customer's order number, ANP's invoice number and date. Material accepted for credit is subject to a 40% restocking charge, freight both ways, and any reconditioning and repackaging charges that are necessary. CUSTOM-MADE OR DISCONTINUED ITEMS ARE NOT RETURNABLE MATERIAL. Return shipments must be made within 30 days from RGA Date. Material must be new, in original Factory cartons, subject to inspection. DAMAGED OR UNSALEABLE MATERIAL WILL BE CREDITED AT SALVAGE VALUE OR LESS COST OF REPAIRS.



Since 1985, ANP Lighting has been skillfully integrating design aesthetics, engineering excellence, and advancing technology to manufacture the industry's only all-LED line of decorative architectural lighting and warehouse-inspired RLM fixtures. With our privately owned foundry and spinning facilities and in-house engineering department, we can quickly and cost-effectively modify any product to deliver an affordable custom modification solution. We empower architects, engineers, and specifiers to meet the growing demand for energy conservation, sustainability, and environmental design inspiration.

We design and manufacture the largest selection of LED decorative architectural lighting available today, including luminaires, bases, poles, and bollards, and are recognized as the #1 manufacturer of RLM fixtures and mountings in the industry.

Our Specialties

Decorative Architectural Lighting | Warehouse-inspired RLM Lighting | All LED Product Line LED Retrofits | Luminaires | Acorns | Bella Vistas | Poles and Bases | Bollards | Customized Design and Modifications | In-House Engineering, Foundry and Spinning Facilities



