Specifications MA08

Project: __ Fixture Type: _

Customer:

🕀 🎉 🕕 🕅 Illuminating

Quantity:

Specifications

Material: Shade is 0.80" spun aluminum. Cap and Lens ring are 356 cast aluminum. All fasteners are stainless steel. Inside of shade is reflective white finish for all colors except galvanized paint finish. Screw hardware may not match paint.

Electrical:

Medium Base Socket, 200w Maximum or GU24 Socket. Approximately 12° of pull wire extends from fixure. Additional pull wire provided for post mount arms and wall mounts.

Catalog Logic

Certifications: Cord mounts are UL Listed for dry locations. Arm mount, stem mount and wall mount are UL Listed for wet locations.

A polyester powder coat high quality finish is electro-statically applied and baked at 430° for exceptional durability and color retention. Products undergo an intensive five-step cleansing and pretreatment process for maximum paint adhesion.

Marine grade finish provides superior salt, humidity and UV protection. This coating withstands up to 3000 hours of continuous salt spray, comes with a 5-year warranty and is available in either a textured or gloss surface.

MA08 - MB - E3110 - WH08 - 64 -

Finish:

Modifications: Consult factory for custom or modified desians.

44

MA08 200w Max Medium Base

						RLM	Light Source	Mounting	Lens	Shade Finish	Trim Finish
Catalog Logic		1		2	3		4	5			
				-			-	•			
	MA08 —		_		-	-		-			

≫

8 1/2"-

≻

8"

Weight: 2.0 lbs

1	LIGHT SOURCE & WATTAGES
GU24	(GU24 Socket)

MB (Medium Base Socket, 200w Max)

2 MOUNTING SOURCES* (Arm and Wall mounts include mounting plate)				
Ar	m Mounts			
E3110 E3410 E3510				
W	all Mounts			
WM905				
(Includes	rd Mounts** 1" x 5 3/8" canopy) 8 for color cord style)			
S	SJT Cord			
BLC (6' Black SJT Cord)	WHC (6' White SJT Cord)			
Solid Fab	ric Colored Cords			
BLSF (6' Black)	ORSF (6' Orange)			
GYSF (6' Gray)	LGSF (6' Lime Green)			
CHSF (6' Chocolate Brown)	KGSF (6' Kelly Green)			
WHSF (6' White)	CBSF (6' Cobalt Blue)			
CASF (6' Cardinal)	SBSF (6' Sky Blue)			
Patterned Fabric Colored Cords				
BWHPF (6' Black/White Houndstooth)	BIHPF (6' Brown/Ivory Houndstooth)			
GYCPF (6' Gray/Citrus Yellow)	MOSPF (6' Magenta/Orange Stripe)			
NMTPF (6' Navy Mini Tweed)				
Glossy Fabric Colored Cords				
GMGF (6' Gun Metal)	SSGF (6' Sterling Silver)			
CPGF (6' Copper Penny)	BRGF (6' Bronze)			
GOGF (6' Gold)				
*Arm mount, Wall mount or finish.	Stem finish will match fixture			

2 MOUNTING SOURCES* Continued						
	Cable Mounts** (Includes 1" x 5 3/8" canopy)					
SSC-BLC (Stainless steel ca	able with	6' Black	SJT Cord)		
SSC-WHC (Stainless steel c	able with	6' White	e SJT Cord)		
SSC-XXXX (SSC-XXXX (Stainless steel cable with 6' Color cord. Replace XXXX with color cord designation above)					
**Cord/Cable	e Canopy finish	will mat	tch fixtu	re finish.		
	Stem Mounts (Includes STC Flat Canopy)					
1/2" (13/1	3/4" (1" OD) Rigid Stems					
2ST6 2ST	12 2ST18	3ST6	3ST12	3ST18		
2ST24 2ST	36 2ST48	3ST24	3ST36	3ST48		
2ST60 2ST	72 2ST96	3ST60	3ST72	3ST96		
*Arm mount finish.	*Arm mount, Wall mount or Stem finish will match fixture finish.					

3	LENS
NL	(No Lens)
CL08	(Clear Flat Acrylic Lens)
WH08	(White Flat Acrylic Lens)

4		FIN	ISHES			
*Marine Grade Finish has an additional charge						
Standard Colors	Standard Grade	Marine Grade*	Premium Colors	Premium Grade	Marine Grade*	
Aspen Green	10	10M	High Gloss Black	01	01M	
Cantaloupe	11	11M	Arctic Silver	14	14M	
Lilac	12	12M	Candy Apple Red	64	64M	
Putty	13	13M	Cobalt Blue	65	65M	
Raw Unfinished	40	NA	Caramel	66	66M	
Black	41	41M	Butterscotch	67	67M	
Forest Green	42	42M	Black Silver	68	68M	
Bright Red	43	43M	Gunmetal Gray	69	69M	
White	44	44M	Mayan Gold	79	NA	
Bright Blue	45	45M	Textured Desert Stone	80	80M	
Sunny Yellow	46	46M	Extreme Chrome	81	81M	
Aqua Green	47	47M	Graystone	82	82M	
Galvanized	49	NA	Oil Rubbed Bronze	83	83M	
Navy	50	50M	Carbon Graphite	96	96M	
Architectural Bronze	51	51M				
Patina Verde	52	52M				
Copper Clay	53	53M				
Silver	56	56M				
Black Verde	61	61M				
Painted Chrome	70	70M				
Painted Copper	71	71M				
Textured Black	72	72M				
Matte Black	73	73M				
Textured Architectural	76	76M				
Textured White	77	77M				
Textured Silver	78	78M				



See Shade Finish Color Chart to choose Trim Finish.

WARRANTY


See www.ANPlighting.com for complete fixture warranty

© 2020 ANP Lighting. All rights reserved. These specifications are intended for general purposes only. ANP reserves the right to change material or design, without prior notice, in a continuing effort to upgrade its products.


Specifications MA08

Project:	
Fixture Type:	Quantity:


Customer: _




ARM MOUNTS



WALL MOUNTS





© 2020 ANP Lighting. All rights reserved. These specifications are intended for general purposes only. ANP reserves the right to change material or design, without prior notice, in a continuing effort to upgrade its products.

1-800-548-3227 ANPlighting.com