8 1/2"
<b>←</b> 12" →

Project: Fixture Type: \_ Quantity: \_

## Customer:

Specifications

Material:
RLM shades are constructed of heavy duty spun aluminum. Wall back plate and ballast housing are cast aluminum. All fasteners are stainless steel. Inside of shade is reflective white finish for all colors except galvanized paint finish. Screw hardware may not match

### Glass:

Choice of clear, frosted or prismatic glass.

### Electrical:

Medium Base Socket, 100w Maximum or GU24 Socket.

Approximately 12" of pull wire extends from fixure. Additional pull wire provided for post mount arms and wall mounts.

## Certifications:

Cord mounts are UL Listed for dry locations. Arm mount, stem mount and wall mount are UL Listed for wet locations. Catalog Logic



Made in USA UL Illuminating

A polyester powder coat high quality finish is electro-statically applied and baked at 430° for exceptional durability and color retention. Products undergo an intensive five-step cleansing and pretreatment process for maximum paint adhesion.

Marine grade finish provides superior salt, humidity and UV protection. This coating withstands up to 3000 hours of continuous salt spray, comes with a 5-year warranty and is available in either a textured or gloss

### Modifications:

Consult factory for custom or modified designs.

E6 - 100GLCL - CBC - 72

**FINISHES** 

# **BB12** 100w Max **Medium Base**

Catalog Number

Weight: 1.5 lbs

### RLM Glass & Light Mounting Accessories Finish Style Source Guards Source 1 2 3 4 5

BB12 |-

			BB12 -	
1 LIGHT SOURCE & WATTAGES				
GU24 (GU24 Socket)				
MB (Medium Base	Socket, 10	00w N	lax)	
2 MOUNT	ING SOL	JRCI	ES*	
Arm Mounts (C	Cast back p	olate i	ncluded)	
E3 E4 E6 E8 E9 E13 E1	5 E18 E2	20 E2	22 E26 E36 E39	
V	Vall Mount	s		
WM35 WM41 WM55 WM3	318			
P	ost Mount	s		
PM10 PM20 PM30 PM40				
Cord Mounts** (Includes 1" x 5 3/8" canopy) (See page 3 for color cord style)				
	SJT Cord			
BLC (6' Black SJT Cord)	,		,	
BLSF (6' Black)	ORSF (			
GYSF (6' Gray)	,		e Green)	
CHSF (6' Chocolate Brown)				
WHSF (6' White)	,		palt Blue)	
CASF (6' Cardinal)	SBSF (6	3' Sky	Blue)	
Patterned F	abric Col	ored	Cords	
BWHPF (6' Black/White Houndstooth)			own/Ivory dstooth)	
GYCPF (6' Gray/Citrus Yellow)	MOSPF	(6' Ma Strip	agenta/Orange e)	
NMTPF (6' Navy Mini Tweed)				
Glossy Fa	bric Colo	red C	ords	
GMGF (6' Gun Metal)			rling Silver)	
CPGF (6' Copper Penny)	BRGF (	6' Bro	nze)	
GOGF (6' Gold)	ble Mayert	**		
(Includes	ble Mount 1" x 5 3/8"	cano	рру)	
SSC-BLC (Stainless steel cable with 6' Black SJT Cord)				
SSC-WHC (Stainless steel cable with 6' White SJT Cord)				
SCC-XXXX (Stainless steel cable with 6' Color cord. Replace XXXX with color cord designation above)				
**Cord/Cable Canopy finish will match fixture finish.				
Stem Mounts (Includes STC Flat Canopy)				
1/2" (13/16" OD) Rigid	_		OD) Rigid Stems	
2ST6 2ST12 2ST18	3ST6	3ST1	2 3ST18	
2ST24 2ST36 2ST48	3ST24	3ST3	6 3ST48	


2ST60 2ST72 2ST96 3ST60 3ST72 3ST96 \*Arm mount, Wall mount or Stem finish will match fixture finish.

3	GLASS & GUARD*		
	Up to 100w Options		
100GLCL	(Clear Glass)		
100GLFR	(Frosted Glass)		
100GLPR	(Prismatic Glass)		
100GLCLGUP	(Clear Glass & Small Wire Guard)		
100GLFRGUP	(Frosted Glass & Small Wire Guard)		
100GLPRGUP	(Prismatic Glass & Small Wire Guard)		
100GLCLGUPC	(Clear Glass & Cast Guard)		
100GLFRGUP	(Frosted Glass & Cast Guard)		
100GLPRGUP	(Prismatic Glass & Cast Guard)		
100GLGUP	(Small Wire Guard with No Glass)		
100GLGUPC	(Cast Guard with No Glass)		
*Cast or Wire Guard Finish will match fixture finish.			
4	ACCESSORIES*		
	ack plate Spun Alum Cover)*		
GR12 (12" Win			
PC (Button Photo Cell) Remote Only			
SC (Scroll for Arms)*			
SLC (Sloped Ceiling Mount Canopy, 20° Max)*			
SQ (Square Back Plate)*			
SWL (Adjustable Locking Swivel)*			
TBK (Turn Buckle Kit)*			
*Accessory finish will match fixture finish.			
WARRAI	NTY		

Standard Colors	Standard Grade	Marine Grade*	Premium Colors	Premium Grade	Mar Gra
Aspen Green	10	10M	High Gloss Black	01	01
Cantaloupe	11	11M	Arctic Silver	14	14
Lilac	12	12M	Candy Apple Red	64	64
Putty	13	13M	Cobalt Blue	65	65
Raw Unfinished	40	NA	Caramel	66	661
Black	41	41M	Butterscotch	67	67
Forest Green	42	42M	Black Silver	68	681
Bright Red	43	43M	Gunmetal Gray	69	691
White	44	44M	Mayan Gold	79	N/
Bright Blue	45	45M	Textured Desert Stone	80	801
Sunny Yellow	46	46M	Extreme Chrome	81	811
Aqua Green	47	47M	Graystone	82	82
Galvanized	49	NA	Oil Rubbed Bronze	83	83
Navy	50	50M	Carbon Graphite	96	96
Architectural Bronze	51	51M			
Patina Verde	52	52M			
Copper Clay	53	53M			
Silver	56	56M			
Black Verde	61	61M			
Painted Chrome	70	70M			
Painted Copper	71	71M			
Textured Black	72	72M			
Matte Black	73	73M			
Textured Architectural	76	76M			
Textured White	77	77M			
Textured Silver	78	78M			

See www.ANPlighting.com for complete fixture warranty.

Project:		
Fixture Type:	Quantit	ty:
Customer:		















sc











Project: .	
Fixture Type:	Quantity:
Customer:	

All fabric Color Cords are three conductor, 1/4" diameter





