Specifications BBU19

Specifications Material: Shade is 0.80" spun aluminum. Cast Electrical: Medium Base Socket, 200w Max and 120v only.

10 1/8" 19"

Weight: 5.7 lbs

Finish:

Project:

Fixture Type: _ Customer:

> A polyester powder coat high quality finish is electro-statically applied and baked at 430° for exceptional durability and color retention. Products undergo an intensive five-step cleansing and pretreatment process for maximum paint adhesion.

Quantity:


Illuminating SOCIETY

Marine grade finish provides superior salt, humidity and UV protection. This coating withstands up to 3000 hours of continuous salt spray, comes with a 5-year warranty and is available in either a textured or gloss surface.


Modifications:Consult factory for custom or modified designs.

BBU19

200w Max Incandescent 19" Contempo Bistro







WARRANTY
See www.ANPlighting.com for complete fixture warranty

2	MOUNTING
	Arm Mounts
E31UT1	6
E33UT1	8
E35UT1	6
	Cord Mounts
BLCUT	(6' black cord, UT cast hub & 5 1/4" x 2 3/4" canopy)
wнсит	(6' white cord, UT cast hub & 5 1/4" x 2 3/4" canopy)
	(6' color cord, UT cast hub $\&51/4"x23/4"$ canopy. Replace th color cord designation from page 3.)

Certifications:

Cord mounts are UL listed for dry locations. Arm mount are UL listed for wet locations.

4	ACCESSORIES
GUP110	(Wire lamp guard)
GUP120	(Wire lamp guard)
TCPG	(Grey, braided cord cover)


Project:	
Fixture Type:	Quantity:
rixture Type	
Customer:	








PENDANT MOUNTS




BBU19-BLCUT


ARM MOUNTS



BBU19-E31UT16




BBU19-E33UT18




BBU19-E35UT16

ACCESSORIES



GUP110



GUP120

Project: . Quantity: ___ Fixture Type: _

All fabric Color Cords are three conductor, 1/4" diameter

