

Project: . Quantity: Fixture Type: _ Customer:







Specifications

Shade is 0.80" spun aluminum. Cast Aluminum Hub and Wall Canopy

Electrical:

Medium Base Socket, 200w Max and 120v only.

Cord mounts are UL listed for dry locations. Arm mount are UL listed for wet locations.

Finish:

A polyester powder coat high quality finish is electro-statically applied and baked at 430° for exceptional durability and color retention. Products undergo an intensive five-step cleansing and pretreatment process for maximum paint adhesion.

Marine grade finish provides superior salt, humidity and UV protection. This coating withstands up to 3000 hours of continuous salt spray, comes with a 5-year warranty and is available in either a textured or gloss surface.


Modifications:

Consult factory for custom or modified designs.


BRU20

200w Max Incandescent 20" Urban Bistro

Weight: 5.7 lbs







WARRANTY
See www.ANPlighting.com for complete fixture warranty

2	MOUNTING				
	Arm Mounts				
E31UT18	3				
E33UT2	2				
E35UT18					
	Cord Mounts				
BLCUT	(6' black cord, UT cast hub & 5 1/4" x 2 3/4" canopy)				
WHCUT	(6' white cord, UT cast hub & 5 1/4" x 2 3/4" canopy)				
	(6' color cord, UT cast hub & 5 1/4" x 2 3/4" canopy. XXXX with color cord designation from page 3.)				

4	ACCESSORIES
GUP110	(Wire lamp guard)
GUP120	(Wire lamp guard)
TCPG	(Grey, braided cord cover)


Project:	
Fixture Type:	Quantity:
Customer:	










PENDANT MOUNTS




ARM MOUNTS







ACCESSORIES





			Quantity:					
All fabric Color Cords are three conductor, 1/4" diameter								
Solid Fabric Colored Cords								
BLSF Black	GYSF Gray	CHSF Chocolate Brown	WHSF White	CASF Cardinal				
ORSF Orange	LGSF Lime Green	KGSF Kelly Green	CBSF Cobalt Blue	SBSF Sky Blue				
Patterned Fabric Colored Cords								
BWHPF Black/White Houndstooh	BIHPF Houndstooh	GYCPF Gray/Citus Yellow	MOSPF Magenta/Orange Stripe	NMTPF Navy Mini Tweed				
Glossy Fabric Colored Cords								
1	1000-0-200			R.\/				

