Specifications MCT08

4 3/4" Weight: 1.0 lb

Project: . Quantity: Fixture Type: Customer:

Specifications

Material: RLM shades are constructed of heavy duty spun aluminum. Wall back plate and ballast housing are cast aluminum. All fasteners are stainless steel. Inside of shade is reflective white finish for all colors except galvanized paint finish. Screw hardware may not match

Glass: Choice of clear, frosted or prismatic glass.

Electrical:
Medium Base Socket, 100w Maximum or
GU24 Socket.
Approximately 12" of pull wire extends from
fixure. Additional pull wire provided for post
mount arms and wall mounts.

Catalog Logic

Certifications:
Cord mounts are UL Listed for dry locations. Arm mount, stem mount and wall mount are UL Listed for wet locations.

RLM

Style

MCT08, -

MB,-

Light

Source

Mounting

Source



Finish: A polyester powder coat high quality finish is electro-statically applied and baked at 430° for exceptional durability and color retention. Products undergo an intensive five-step cleansing and pretreatment process for maximum paint adhesion.

Marine grade finish provides superior salt, humidity and UV protection. This coating withstands up to 3000 hours of continuous salt spray, comes with a 5-year warranty and is available in either a textured or gloss

Modifications:

Consult factory for custom or modified designs.

E15 - 100GLCL - CBC - 72

Accessories Finish

Glass &

Guards

MCT08 100w Max

Medium Base



GLASS & GUARD*

	LIGITI GOOK	E & WAI IAGES				
GU24	(GU24 Socket)					
МВ	(Medium Base	Socket, 100w Max)				
2	MOUNTING	G SOURCES*				
	Arm Mounts (Cast	t back plate included)				
E15 E20	E22 E23 E26 E	36 E39				
	Wall	Mounts				
WM35 V	VM41 WM55 WM:	318				
	Cord Mounts** (Includes 1" x 5 3/8" canopy) (See page 3 for color cord style)					
		T Cord				
BLC (6	'Black SJT Cord)	WHC (6' White SJT Cord)				
Solid Fabric Colored Cords						
BLSF (6	' Black)	ORSF (6' Orange)				
GYSF (6	**	LGSF (6' Lime Green)				
,	6' Chocolate Brown)	, , ,				
WHSF (6		CBSF (6' Cobalt Blue)				
CASF (6	3' Cardinal)	SBSF (6' Sky Blue)				
D14// ID-		ric Colored Cords				
BWHPF	(6' Black/White Houndstooth)	BIHPF (6' Brown/Ivory Houndstooth)				
GYCPF (6' Gray/Citrus Yellow)		MOSPF (6' Magenta/Orange Stripe)				
NMTPF (6' Navy Mini Tweed)						
	Glossy Fabri	c Colored Cords				
GMGF (6' Gun Metal)	SSGF (6' Sterling Silver)				
CPGF (6' Copper Penny)		BRGF (6' Bronze)				
GOGF (6' Gold)					
	Cable (Includes 1")	Mounts** x 5 3/8" canopy)				
SSC-BL	C (Stainless steel	cable with 6' Black SJT Cord)				
SSC-WH	C (Stainless steel	cable with 6' White SJT Cord)				
SCC-XXXX (Stainless steel cable with 6' Color cord. Replace XXXX with color cord designation above)						
**Cord/C	able Canopy finis	h will match fixture finish.				
		n Mounts FC Flat Canopy)				
1/2" (1	13/16" OD) Rigid	3/4" (1" OD) Rigid Stems				
,	2ST12 2ST18	3ST6 3ST12 3ST18				
2ST24	2ST36 2ST48	3ST24 3ST36 3ST48				
2ST60 2	2ST72 2ST96	3ST60 3ST72 3ST96				
*Arm mo	*Arm mount, Wall mount or Stem finish will match fixture finish.					

LIGHT SOURCE & WATTAGES

~		CLAGO & COARD		
		Up to 100w Options		
100GL	CL	(Clear Glass)		
100GL	FR	(Frosted Glass)		
100GL	PR	(Prismatic Glass)		
100GL	CLGUP	(Clear Glass & Small Wire Guard)		
100GL	FRGUP	(Frosted Glass & Small Wire Guard)		
100GL	PRGUP	(Prismatic Glass & Small Wire Guard)		
100GLCLGUPC (Clear Glass & Cast Guard)				
100GLFRGUPC (Frosted Glass & Cast Guard)				
100GLPRGUPC (Prismatic Glass & Cast Guard)				
100GLGUP		(Small Wire Guard with No Glass)		
100GLGUPC		(Cast Guard with No Glass)		
*Cast and Wire Guard Finish will match fixture finish.				
4		ACCESSORIES*		
СВС	(Cast b	ack plate Spun Alum Cover)*		
GR08	(8" Wire Grill)*			
PC	(Button Photo Cell) Remote Only			
sc	(Scroll for Arms)*			
SLC	SLC (Sloped Ceiling Mount Canopy, 20° Max)*			
SQ	(Square Back Plate)*			
SWL	(Adjustable Locking Swivel)*			

5 *Mai	rine Grad		ISHES has an additional charge		
Standard Colors	Standard Grade	Marine Grade*	Premium Colors	Premium Grade	Marine Grade*
Aspen Green	10	10M	High Gloss Black	01	01M
Cantaloupe	11	11M	Arctic Silver	14	14M
Lilac	12	12M	Candy Apple Red	64	64M
Putty	13	13M	Cobalt Blue	65	65M
Raw Unfinished	40	NA	Caramel	66	66M
Black	41	41M	Butterscotch	67	67M
Forest Green	42	42M	Black Silver	68	68M
Bright Red	43	43M	Gunmetal Gray	69	69M
White	44	44M	Mayan Gold	79	NA
Bright Blue	45	45M	Textured Desert Stone	80	80M
Sunny Yellow	46	46M	Extreme Chrome	81	81M
Aqua Green	47	47M	Graystone	82	82M
Galvanized	49	NA	Oil Rubbed Bronze	83	83M
Navy	50	50M	Carbon Graphite	96	96M
Architectural Bronze	51	51M			
Patina Verde	52	52M			
Copper Clay	53	53M			
Silver	56	56M			
Black Verde	61	61M			
Painted Chrome	70	70M			
Painted Copper	71	71M			
Textured Black	72	72M			
Matte Black	73	73M			
Textured Architectural	76	76M			
Textured White	77	77M			
	78	78M			

WARRANTY

TBK (Turn Buckle Kit)*


See www.ANPlighting.com for complete fixture warranty

*Accessory finish will match fixture finish.

08012019

Project:	
Fixture Type:	Quantity:
Customer:	,









Project: _____ Quantity: _____ Customer:

All fabric Color Cords are three conductor, 1/4" diameter





