Specifications OSWD527

	15"
15"	

Fixture Type: Quantity: _ Customer:

Specifications

Material:

RLM shades are constructed of heavy duty spun aluminum. Wall back plate and ballast housing are cast aluminum. All fasteners are stainless steel.

Inside of shade is reflective white finish for all colors except galvanized paint finish. Screw hardware may not match paint.

Choice of clear, frosted or prismatic glass is optional. (Not available with 3-light)

Flat, 92% transmission white acrylic lens, 0.059" thick is optional. (Not available with 3-light)

Electrical:

Medium Base Socket, 200w Maximum or GU24 Socket.

Approximately 12" of pull wire extends from fixure. Additional pull wire provided for post mount arms and wall mounts.

Certifications

Cord mounts are UL Listed for dry locations. Arm mount, stem mount and wall mount are UL Listed for wet locations.

A polyester powder coat high quality finish is electro-statically applied and baked at 430° for exceptional durability and color retention. Products undergo an intensive five-step cleansing and pretreatment process for maximum paint adhesion.

Marine grade finish provides superior salt, humidity and UV protection. This coating withstands up to 3000 hours of continuous salt spray, comes with a 5-year warranty and is available in either a textured or gloss surface.

Modifications:

Consult factory for custom or modified designs.

FINISHES

OSWD527 200w Max

Medium Base

OSWD527

Catalog Number

Weight: 6.5 lbs

OSWD527 - MB - E6 - CBC - 100GLCL - 72 - 72 -Finish Inside Shade 3-light Glass RLM Lamp Mounting Accessories Source Finish Cluster Finish Style 3 4 5 6 7

1	LAMP BASE	
МВ	(Medium Base, 200w Max)	
GU24	(GU24 Base)	

1

3МВQМ	(3-light medium base curved arm cluster, medium)
GU24	(GU24 Base)
1410	(Wicdiam Basc, 200W Wax)

MOUNTING SOURCES*

Arm Mounts (Cast back plate included) E3 E4 E6 E7 E8 E9 E10 E11 E12 E18

Wall Mounts

WM55

Cable Mounts** (Includes 1" x 5 3/8" canopy)

SSC-BLC (Stainless steel cable with 6' Black SJT Cord) SSC-WHC (Stainless steel cable with 6' White SJT Cord) SSC-XXXX (Stainless steel cable with 6' Color cord. Replace XXXX with color cord designation

**Cord/Cable Canopy finish will match fixture finish.

SJT Cord BLC (6' Black SJT Cord) WHC (6' White SJT Cord)

Solid Fabric Colored Cords BLSF (6' Black) ORSF (6' Orange) GYSF (6' Gray) LGSF (6' Lime Green)

CHSF (6' Chocolate Brown) KGSF (6' Kelly Green) WHSF (6' White) CBSF (6' Cobalt Blue) CASF (6' Cardinal) SBSF (6' Sky Blue) **Patterned Fabric Colored Cords** BWHPF (6' Black/White BIHPF (6' Brown/Ivory Houndstooth) Houndstooth) GYCPF (6' Gray/Citrus MOSPF (6' Magenta/Orange Yellow) Stripe) NMTPF (6' Navy Mini

Glossy Fabric Colored Cords

GMGF (6' Gun Metal) SSGF (6' Sterling Silver) CPGF (6' Copper Penny) BRGF (6' Bronze) GOGF (6' Gold)

(Includes STC Flat Canopy)

Tweed)

3/4" (1" OD) Rigid Stems 1/2" (13/16" OD) Rigid 2ST6 2ST12 2ST18 3ST6 3ST12 3ST18 2ST24 2ST36 2ST48 3ST24 3ST36 3ST48

2ST60 2ST72 2ST96 3ST60 3ST72 3ST96 *Arm mount, Wall mount or Stem finish will match

ACCESSORIES* CBC

2

(Cast back plate Spun Alum Cover)* SLC (Sloped Ceiling Mount Canopy, 20° Max)* SQ (Square Back Plate)* (White Flat Acrylic Lens) (Not available with 3-light) TBK (Turn Buckle Kit)* *Accessory finish will match fixture finish.


4	GLASS & GUARD* (Not available with 3-light)				
Up to 100w Only					
100GLCL	(Clear Glass)				
100GLFR	(Frosted Glass)				
100GLPR	(Prismatic Glass)				
100GLCLGUP	(Clear Glass & Small Wire Guard)				
100GLFRGUP	(Frosted Glass & Small Wire Guard)				
100GLPRGUP	(Prismatic Glass & Small Wire Guard)				
100GLCLGUP	C(Clear Glass & Cast Guard)				
100GLFRGUP	C (Frosted Glass & Cast Guard)				
100GLPRGUP	C (Prismatic Glass & Cast Guard)				
100GLGUP	(Small Wire Guard with No Glass)				
100GLGUPC	(Cast Guard with No Glass)				
*Cast and Wir	e Guard Finish will match fixture finish.				

<u> </u>	*Ma	rine Gra	ne Grade Finish has an additional charge			
Standard Colors	Standard Grade	Marine	Premium Colors	Premium Grade	Marine Grade*	
Aspen Green	10	10M	High Gloss Black	01	01M	
Cantaloupe	11	11M	Arctic Silver	14	14M	
Lilac	12	12M	Candy Apple Red	64	64M	
Putty	13	13M	Cobalt Blue	65	65M	
Raw Unfinished	40	NA	Caramel	66	66M	
Black	41	41M	Butterscotch	67	67M	
Forest Green	42	42M	Black Silver	68	68M	
Bright Red	43	43M	Gunmetal Gray	69	69M	
White	44	44M	Mayan Gold	79	NA	
Bright Blue	45	45M	Textured Desert Stone	80	80M	
Sunny Yellow	46	46M	Extreme Chrome	81	81M	
Aqua Green	47	47M	Graystone	82	82M	
Galvanized	49	NA	Oil Rubbed Bronze	83	83M	
Navy	50	50M	Carbon Graphite	96	96M	
Architectural Bronze	51	51M				
Patina Verde	52	52M				
Copper Clay	53	53M				
Silver	56	56M				
Black Verde	61	61M				
Painted Chrome	70	70M				
Painted Copper	71	71M				
Textured Black	72	72M				
Matte Black	73	73M				
Textured Architectural Bronze	76	76M				
Textured White	77	77M				


WARRANTY

See www.ANPlighting.com for complete fixture warranty.

Project: _____ Quantity: _____ Customer: _____











Specifications OSWD527

Project: _____ Quantity: _____ Customer: _____

All fabric Color Cords are three conductor, 1/4" diameter





