0 6 7/8"

VW508 **100w** Max Medium Base

Catalog Number

Weight: 1.0 lb

1

Project: _ Quantity: Fixture Type: _

Specifications





Finish: A polyester powder coat high quality finish is electro-statically applied and baked at 430° for exceptional durability and color retention. Products undergo an intensive five-step

cleansing and pretreatment process for

Marine grade finish provides superior salt, humidity and UV protection. This coating withstands up to 3000 hours of continuous

maximum paint adhesion.



Customer:

Material:

RLM shades are constructed of heavy duty spun aluminum. Wall back plate and ballast housing are cast aluminum. All fasteners are stainless steel. Inside of shade is reflective white finish for all colors except galvanized paint finish. Screw hardware may not match

2

GLASS & GUARD*

Glass: Choice of clear, frosted or prismatic glass.

Electrical: Medium Base Socket, 100w Maximum or

GU24 Socket.
Approximately 12" of pull wire extends from fixure. Additional pull wire provided for post mount arms and wall mounts.

3

Certifications: UL Listed for dry location.


salt spray, comes with a 5-year warranty and is available in either a textured or gloss surface.

4

Consult factory for custom or modified

5

Catalog Logic VW508 - MB - E15 - 100GLCL - CBC - 72 Light Mounting Glass & Accessories Finish Style Source Guards Source



3ST60 3ST72 3ST96

2ST60 2ST72 2ST96


| Up to 100w Options | | | | | | |
|--|---|---|--|--|--|--|
| 100GL | CL | (Clear Glass) | | | | |
| 100GLFR | | (Frosted Glass) | | | | |
| 100GLPR | | (Prismatic Glass) | | | | |
| 100GLCLGUP | | (Clear Glass & Small Wire Guard) | | | | |
| 100GLFRGUP | | (Frosted Glass & Small Wire Guard) | | | | |
| 100GLPRGUP | | (Prismatic Glass & Small Wire Guard) | | | | |
| 100GLCLGUPC (Clear Glass & Cast Guard) | | | | | | |
| 100GLFRGUPC (Frosted Glass & Cast Guard) | | | | | | |
| 100GLPRGUPC (Prismatic Glass & Cast Guard) | | | | | | |
| 100GLGUP | | (Small Wire Guard with No Glass) | | | | |
| 100GLGUPC | | (Cast Guard with No Glass) | | | | |
| *Cast and Wire Guard Finish will match fixture finish. | | | | | | |
| *Cast a | nd Wire | Guard Finish will match fixture finish. | | | | |
| *Cast a | nd Wire | Guard Finish will match fixture finish. ACCESSORIES* | | | | |
| | | | | | | |
| 4 | (Cast b | ACCESSORIES* | | | | |
| 4 CBC | (Cast b | ACCESSORIES* ack plate Spun Alum Cover)* | | | | |
| 4 CBC GR08 | (Cast b (8" Wir (Buttor | ACCESSORIES* ack plate Spun Alum Cover)* e Grill)* | | | | |
| GR08 PC SC | (Cast b (8" Wir (Buttor (Scroll | ACCESSORIES* ack plate Spun Alum Cover)* e Grill)* I Photo Cell) Remote Only | | | | |
| GR08 PC SC | (Cast b (8" Wir (Button (Scroll | ACCESSORIES* ack plate Spun Alum Cover)* e Grill)* I Photo Cell) Remote Only for Arms)* | | | | |
| 4 CBC GR08 PC SC | (Cast b (8" Wir (Button (Scroll (Sloped | ACCESSORIES* ack plate Spun Alum Cover)* e Grill)* I Photo Cell) Remote Only for Arms)* I Ceiling Mount Canopy, 20° Max)* | | | | |
| CBC GR08 PC SC SLC SQ | (Cast b (8" Wir (Button (Scroll (Sloped (Squar (Adjus | ACCESSORIES* ack plate Spun Alum Cover)* e Grill)* Photo Cell) Remote Only for Arms)* I Ceiling Mount Canopy, 20° Max)* re Back Plate)* | | | | |
| GR08 PC SC SLC SQ SWL TBK | (Cast b (8" Wir (Button (Scroll (Sloped (Squar (Adjus | ACCESSORIES* ack plate Spun Alum Cover)* e Grill)* Photo Cell) Remote Only for Arms)* I Ceiling Mount Canopy, 20° Max)* re Back Plate)* table Locking Swivel)* | | | | |
| GR08 PC SC SLC SQ SWL TBK | (Cast b (8" Wir (Button (Scroll (Sloped (Squar (Adjus | ACCESSORIES* ack plate Spun Alum Cover)* e Grill)* a Photo Cell) Remote Only for Arms)* I Ceiling Mount Canopy, 20° Max)* re Back Plate)* table Locking Swivel)* Buckle Kit)* | | | | |
| GR08 PC SC SLC SQ SWL TBK | (Cast b (8" Wir (Button (Scroll (Sloped (Squar (Adjus | ACCESSORIES* ack plate Spun Alum Cover)* e Grill)* a Photo Cell) Remote Only for Arms)* I Ceiling Mount Canopy, 20° Max)* re Back Plate)* table Locking Swivel)* Buckle Kit)* | | | | |

| 5 FINISHES | | | | | | | |
|--|-----------------------|------------|--------------------------|---------|--------|--|--|
| *Ma | rine Grad Standard | e Finish I | has an additional charge | Premium | Marine | | |
| Standard Colors | Grade | Grade* | Premium Colors | Grade | Grade* | | |
| Aspen Green | 10 | 10M | High Gloss Black | 01 | 01M | | |
| Cantaloupe | 11 | 11M | Arctic Silver | 14 | 14M | | |
| Lilac | 12 | 12M | Candy Apple Red | 64 | 64M | | |
| Putty | 13 | 13M | Cobalt Blue | 65 | 65M | | |
| Raw Unfinished | 40 | NA | Caramel | 66 | 66M | | |
| Black | 41 | 41M | Butterscotch | 67 | 67M | | |
| Forest Green | 42 | 42M | Black Silver | 68 | 68M | | |
| Bright Red | 43 | 43M | Gunmetal Gray | 69 | 69M | | |
| White | 44 | 44M | Mayan Gold | 79 | NA | | |
| Bright Blue | 45 | 45M | Textured Desert Stone | 80 | 80M | | |
| Sunny Yellow | 46 | 46M | Extreme Chrome | 81 | 81M | | |
| Aqua Green | 47 | 47M | Graystone | 82 | 82M | | |
| Galvanized | 49 | NA | Oil Rubbed Bronze | 83 | 83M | | |
| Navy | 50 | 50M | Carbon Graphite | 96 | 96M | | |
| Architectural Bronze | 51 | 51M | | | | | |
| Patina Verde | 52 | 52M | | | | | |
| Copper Clay | 53 | 53M | | | | | |
| Silver | 56 | 56M | | | | | |
| Black Verde | 61 | 61M | | | | | |
| Painted Chrome | 70 | 70M | | | | | |
| Painted Copper | 71 | 71M | | | | | |
| Textured Black | 72 | 72M | | | | | |
| Matte Black | 73 | 73M | | | | | |
| Textured Architectural | 76 | 76M | | | | | |
| Textured White | 77 | 77M | | | | | |
| Textured Silver | 78 | 78M | | | | | |
| Consult Factory for additional paint charges and availability. | | | | | | | |

See www.ANPlighting.com for complete fixture warranty

| Project: | |
|---------------|------------|
| First T | Overtity : |
| Fixture Type: | Quantity: |
| Customer: | |









Project: _____ Quantity: _____ Customer:

All fabric Color Cords are three conductor, 1/4" diameter





