

Project: _ Fixture Type: _ Quantity: _

Customer:

Specifications





Finish: A polyester powder coat high quality finish is electro-statically applied and baked at 430° for exceptional durability and color retention. Products undergo an intensive five-step

cleansing and pretreatment process for maximum paint adhesion.

Marine grade finish provides superior salt, humidity and UV protection. This coating withstands up to 3000 hours of continuous

salt spray, comes with a 5-year warranty and is available in either a textured or gloss



Material:

RLM shades are constructed of heavy duty spun aluminum. Wall back plate and ballast housing are cast aluminum. All fasteners are stainless steel. Inside of shade is reflective white finish for all colors except galvanized paint finish. Screw hardware may not match paint.

Glass: Choice of clear, frosted or prismatic glass.

Electrical:
Medium Base Socket, 150w Maximum or GU24 Socket.

Certifications: UL Listed for dry location.

Approximately 12" of pull wire extends from fixure. Additional pull wire provided for post mount arms and wall mounts.

surface.

Modifications: Consult factory for custom or modified

Weight: 1.0 lb

7 1/8"


0 0

12"

150w Max

VW512

Medium Base



Catalog Number		1	2		3	4	5
	VW512	_	-	-	_	-	-

GLASS & GUARD*

1 LIGHT SO	URCE & WATTAGES					
GU24 (GU24 Socket	(GU24 Socket)					
MB (Medium Base	MB (Medium Base Socket, 150w Max)					
2 MOUNTING SOURCES*						
Arm Mounts (Cast back plate included)					
E3 E4 E6 E8 E9 E13 E15 E	E18 E24 E25 E36 E39					
	Wall Mounts					
WM35 WM41 WM55 WM	318					
	Post Mounts					
PM10 PM20 PM30 PM40						
Cord Mounts** (Includes 1" x 5 3/8" canopy) (See page 3 for color cord style)						
	SJT Cord					
BLC (6' Black SJT Cord)	' '					
	bric Colored Cords					
BLSF (6' Black) GYSF (6' Gray)	ORSF (6' Orange) LGSF (6' Lime Green)					
CHSF (6' Chocolate Brown	, ,					
WHSF (6' White)	CBSF (6' Cobalt Blue)					
CASF (6' Cardinal)	SBSF (6' Sky Blue)					
Patterned Fabric Colored Cords						
BWHPF (6' Black/White Houndstooth) BIHPF (6' Brown/Ivory Houndstooth)						
GYCPF (6' Gray/Citrus Yellow) MOSPF (6' Magenta/Orange Stripe)						
NMTPF (6' Navy Mini Tweed)						
Glossy F	abric Colored Cords					
GMGF (6' Gun Metal)	SSGF (6' Sterling Silver)					
CPGF (6' Copper Penny)	BRGF (6' Bronze)					
GOGF (6' Gold)						
Cable Mounts** (Includes 1" x 5 3/8" canopy)						
SSC-BLC (Stainless steel cable with 6' Black SJT Cord)						
SSC-WHC (Stainless steel cable with 6' White SJT Cord)						
SCC-XXXX (Stainless steel cable with 6' Color cord. Replace XXXX with color cord designation above)						
**Cord/Cable Canopy finish will match fixture finish.						
Stem Mounts (Includes STC Flat Canopy)						
1/2" (13/16" OD) Rigid	3/4" (1" OD) Rigid Stems					
2ST6 2ST12 2ST18	3ST6 3ST12 3ST18					
2ST24 2ST36 2ST48	3ST24 3ST36 3ST48					
2ST60 2ST72 2ST96	3ST60 3ST72 3ST96					
*Arm mount, Wall mount or Stem finish will match fixture						

3	GLASS & GUARD"
	Up to 100w Options
100GLCL	(Clear Glass)
100GLFR	(Frosted Glass)
100GLPR	(Prismatic Glass)
100GLCLGUP	(Clear Glass & Small Wire Guard)
100GLFRGUP	(Frosted Glass & Small Wire Guard)
100GLPRGUP	(Prismatic Glass & Small Wire Guard)
100GLCLGUP	C (Clear Glass & Cast Guard)
100GLFRGUP	C (Frosted Glass & Cast Guard)
100GLPRGUP	C (Prismatic Glass & Cast Guard)
100GLGUP	(Small Wire Guard with No Glass)
100GLGUPC	(Cast Guard with No Glass)
AC	(Stipple Glass Acorn)
100GLBG	(White Ball Glass)
*Cast and Wire	Guard Finish will match fixture finish.

4	ACCESSORIES*		
СВС	(Cast back plate Spun Alum Cover)*		
GR12	(12" Wire Grill)*		
PC	(Button Photo Cell) Remote Only		
sc	(Scroll for Arms)*		
SLC	(Sloped Ceiling Mount Canopy, 20° Max)*		
SQ	(Square Back Plate)*		
SWL	(Adjustable Locking Swivel)*		
твк	(Turn Buckle Kit)*		
*Accessory finish will match fixture finish.			

5 * _M	arine Grade		SHES nas an additional charge		
Standard Colors	Standard Grade	Marine	Premium Colors	Premium Grade	Marine Grade
Aspen Green	10	10M	High Gloss Black	01	01M
Cantaloupe	11	11M	Arctic Silver	14	14M
Lilac	12	12M	Candy Apple Red	64	64M
Putty	13	13M	Cobalt Blue	65	65M
Raw Unfinished	40	NA	Caramel	66	66M
Black	41	41M	Butterscotch	67	67M
Forest Green	42	42M	Black Silver	68	68M
Bright Red	43	43M	Gunmetal Gray	69	69M
White	44	44M	Mayan Gold	79	NA
Bright Blue	45	45M	Textured Desert Stone	80	80M
Sunny Yellow	46	46M	Extreme Chrome	81	81M
Aqua Green	47	47M	Graystone	82	82M
Galvanized	49	NA	Oil Rubbed Bronze	83	83M
Navy	50	50M	Carbon Graphite	96	96M
Architectural Bronze	51	51M			
Patina Verde	52	52M			
Copper Clay	53	53M			
Silver	56	56M			
Black Verde	61	61M			
Painted Chrome	70	70M			
Painted Copper	71	71M			
Textured Black	72	72M			
Matte Black	73	73M			
Textured Architectural	76	76M			
Textured White	77	77M			
Textured Silver	78	78M			
Consult F	actory for a	dditiona	I paint charges and avail	ability.	

۷	VA	R	R/	41	IΤ	Υ

See www.ANPlighting.com for complete fixture warranty.

08012019

SLC

Project: _____ Fixture Type: _____ Quantity: ___ Customer: . **GLASS & GUARDS** ARM MOUNTS | Dimensions are Projection x Height | CB included with all arms **UP TO 100W MAX** Glass Legend: CL = Clear FR = Frosted PR = Prismatic 100 = Small 200 = Large Glass Only (6 1/2" H X 4 1/8" W) 100GLCL **E4** | 26" x 14" **E6** | 26" x 9 1/4" E8 | 29 1/4" x 12 1/2" E3 | 32" x 11 7/8" 100GLFR 100GLPR Glass with Cast Guard (7 1/2" H X 4 1/8" W) 100GLCLGUPC E13 | 34" x 34 3/8" E15 | 13 3/8" x 10 1/2" E18 | 27 3/4" x 21 3/8" E9 | 28" x 40 5/8" 100GLFRGUPC 100GLPRGUPC Glass with Wire Guard (7 1/2" H X 4 1/8" W) 100GLCLGUP E24 | 10" x 2" E25 | 23" x 5 1/4" E36 | 20 1/4" x 8" E39 | 10 1/2" x 15 1/8" 100GLFRGUP 100GLPRGUP WALL MOUNTS | Dimensions are Projection x Height | POST MOUNTS | Dimensions are Projection x Height Guards Only (7 1/2" H X 4 1/8" W) 100GLGUPC (Cast Guard) WM35 | 20 1/2" x 25" WM41 | 10 1/2" x 14 3/4" PM10 | 14 1/2" x 25" PM20 | 30 1/8" x 25" 100GLGUP (Wire Guard) WM55 | 20 5/8" x 14 1/4" WM318 | 12" x 12 3/4" PM30 | 21 5/8" x 28 7/8" PM40 | 43 3/8" x 28 7/8' (Acorn Glass -- Clear Stipple Only) PM50 | 27" x 38" PM319 | 16 5/8" x 27 1/2" 100GLBG **ACCESSORIES** (6" White Ball Glass) СВС PC **GR12**

TBK

SWL

SQ

Project: _____ Quantity: _____ Customer: _____

All fabric Color Cords are three conductor, 1/4" diameter





