10" 20"

Weight: 2.5 lbs

Customer: Specifications

Fixture Type: _

Project: _

Material:

RLM shades are constructed of heavy duty spun aluminum. Wall back plate and ballast housing are cast aluminum. All fasteners are stainless steel. Inside of shade is reflective white finish for all colors except galvanized paint finish. Screw hardware may not match paint.

Glass:

Choice of clear, frosted or prismatic glass.

Electrical: Medium Base Socket, 200w Maximum or GU24 Socket.

Approximately 12" of pull wire extends from fixure. Additional pull wire provided for post mount arms and wall mounts.

Certifications: UL Listed for dry location.

Quantity:







Finish:

A polyester powder coat high quality finish is electro-statically applied and baked at 430° for exceptional durability and color retention. Products undergo an intensive five-step cleansing and pretreatment process for maximum paint adhesion.


Marine grade finish provides superior salt, humidity and UV protection. This coating withstands up to 3000 hours of continuous salt spray, comes with a 5-year warranty and is available in either a textured or gloss surface.

Modifications: Consult factory for custom or modified designs.

5

VW520 200w Max Medium Base

Catalog Logic VW520 MB ... E6 _ 200GLCL _ CBC _ 72 RLM Light Mounting Glass & Accessories Finish Style Source Guards Source



Post Mounts PM10 PM20 PM30 PM40 PM50 PM319 Cord Mounts** (Includes 1" x 5 3/8" canopy) (See page 3 for color cord style)

BLC (6' Black SJT Cord) WHC (6' White SJT Cord)

Solid	Fabric	Colored	Cords

SJT Cord

	Patterned Es	hric C	olored Cords
CASF (6	' Cardinal)	SBSF	(6' Sky Blue)
WHSF (6	'White)	CBSF	(6' Cobalt Blue)
CHSF (6	' Chocolate Brown)	KGSF	(6' Kelly Green)
GYSF (6	o' Gray)	LGSF	(6' Lime Green)
BLSF (6	Віаск)	ORSE	(6° Orange)

BWHPF (6' Black/White Houndstooth)	BIHPF (6' Brown/Ivory Houndstooth)
GYCPF (6' Gray/Citrus Yellow)	MOSPF (6' Magenta/Orange Stripe)
NMTPF (6' Navy Mini	

Glossy Fabric Colored Cords

GMGF (6' Gun Metal)	SSGF (6' Sterling Silver)
CPGF (6' Copper Penny)	BRGF (6' Bronze)
GOGE (6' Gold)	

Cable Mounts** (Includes 1" x 5 3/8" canopy)

SSC-BLC (Stainless steel cable with 6' Black SJT Cord)

SSC-WHC (Stainless steel cable with 6' White SJT Cord)

SCC-XXXX (Stainless steel cable with 6' Color cord. Replace XXXX with color cord designation above)

**Cord/Cable Canopy finish will match fixture finish.

Stem Mounts	
(Includes STC Flat Canopy)	

1/2"	(13/16" (DD) Rigid	3/	4" (1" OE) Rigid Ste	ems
2ST6	2ST12	2ST18	3ST6	3ST12	3ST18	
2ST24	2ST36	2ST48	3ST24	3ST36	3ST48	
2ST60	2ST72	2ST96	3ST60	3ST72	3ST96	
*Arm mount, Wall mount or Stem finish will match fixture finish.						

	Up to 100w Options
100GLCL	(Clear Glass)
100GLFR	(Frosted Glass)
100GLPR	(Prismatic Glass)
100GLCLGUP	(Clear Glass & Small Wire Guard)
100GLFRGUP	(Frosted Glass & Small Wire Guard)
100GLPRGUP	(Prismatic Glass & Small Wire Guard)
100GLCLGUP	C(Clear Glass & Cast Guard)
100GLFRGUP	C (Frosted Glass & Cast Guard)
100GLPRGUP	C (Prismatic Glass & Cast Guard)
100GLGUP	(Small Wire Guard with No Glass)
100GLGUPC	(Cast Guard with No Glass)
AC	(Stipple Glass Acorn)
100GLBG	(White Ball Glass)
	Up to 200w Options
200GLCL	(Clear Glass)
200GLFR	(Frosted Glass)
200GLPR	(Prismatic Glass)
200GLCLGUP	(Clear Glass & Large Wire Guard)
200GLFRGUP	(Frosted Glass & Large Wire Guard)
200GLPRGUP	(Prismatic Glass & Large Wire Guard)
200GLCLGUP	C (Clear Glass & Large Cast Guard)
200GLFRGUP	C (Frosted Glass & Large Cast Guard)
200GLPRGUP	C (Prismatic Glass & Large Cast Guard)
200GLGUP	(Large Wire Guard with No Glass)
200GLGUPC	(Large Cast Guard with No Glass)
*Cast and Wire	Guard Finish will match fixture finish.

See www.ANPlighting.com for complete fixture warranty

4	ACCESSORIES*				
СВС	(Cast back plate Spun Alum Cover)*				
GR20	(20" Wire Grill)*				
PC	(Button Photo Cell) Remote Only				
sc	(Scroll for Arms)*				
SLC	(Sloped Ceiling Mount Canopy, 20° Max)*				
SQ	(Square Back Plate)*				
SWL	(Adjustable Locking Swivel)*				
твк	(Turn Buckle Kit)*				
*Acce	ssory finish will match fixture finish.				

5 *M	arine Grade		SHES nas an additional charge		
Standard Colors	Standard Grade	Marine	Premium Colors	Premium Grade	Ma Gr
Aspen Green	10	10M	High Gloss Black	01	0
Cantaloupe	11	11M	Arctic Silver	14	1-
Lilac	12	12M	Candy Apple Red	64	6
Putty	13	13M	Cobalt Blue	65	6
Raw Unfinished	40	NA	Caramel	66	6
Black	41	41M	Butterscotch	67	6
Forest Green	42	42M	Black Silver	68	6
Bright Red	43	43M	Gunmetal Gray	69	6
White	44	44M	Mayan Gold	79	1
Bright Blue	45	45M	Textured Desert Stone	80	8
Sunny Yellow	46	46M	Extreme Chrome	81	8
Aqua Green	47	47M	Graystone	82	8:
Galvanized	49	NA	Oil Rubbed Bronze	83	8
Navy	50	50M	Carbon Graphite	96	9
Architectural Bronze	51	51M			
Patina Verde	52	52M			
Copper Clay	53	53M			
Silver	56	56M			
Black Verde	61	61M			
Painted Chrome	70	70M			
Painted Copper	71	71M			
Textured Black	72	72M			
Matte Black	73	73M			
Textured Architectural	76	76M			
Textured White	77	77M			
Textured Silver	78	78M			

WARRANTY

Project: ___ Fixture Type: _____ Quantity: _____ Customer: **GLASS & GUARDS** ARM MOUNTS | Dimensions are Projection x Height | CB included with all arms **UP TO 200W MAX** Glass Legend: CL = Clear FR = Frosted PR = Prismatic 100 = Small 200 = Large Glass Only (9 1/4" H X 5" W) 200GLCL **E4** | 26" x 14" **E6** | 26" x 9 1/4" E8 | 29 1/4" x 12 1/2' E3 | 32" x 11 7/8' 200GLFR 200GLPR Glass with Cast Guard (10 1/4" H X 5 1/2" W) 200GLCLGUPC **E9** | 28" x 40 5/8" E10 | 52 1/4" x 18" **E11** | 35 1/4" x 17 1/4" E12 | 37 3/8" x 2" 200GLFRGUPC 200GLPRGUPC Glass with Wire Guard (10 1/4" H X 5" W) 200GLCLGUP E18 | 27 3/4" x 21 3/8" E25 | 23" x 5 1/4" 200GLFRGUP 200GLPRGUP WALL MOUNTS | Dimensions are Projection x Height | POST MOUNTS | Dimensions are Projection x Height GUPC Guard Only (10 1/4" H X 5 1/2" W) 200GLGUPC (Cast Guard) WM35 | 20 1/2" x 25" WM55 | 20 5/8" x 14 1/4" PM10 | 14 1/2" x 25" PM20 | 30 1/8" x 25" GUP Guard Only (10 1/4" H X 5" W) 200GLGUP (Wire Guard) WM318 | 12" x 12 3/4" PM30 | 21 5/8" x 28 7/8" PM40 | 43 3/8" x 28 7/8' (Acorn Glass -- Clear Stipple Only) PM50 | 27" x 38" PM319 | 16 5/8" x 27 1/2" 100GLBG (6" White Ball Glass) **ACCESSORIES** PC CBC **GR20** SLC SWL **TBK** SQ

Project: __ Fixture Type: ___ Customer: _

All fabric Color Cords are three conductor, 1/4" diameter

