

Weight: 1.0 lb

W512
150w Max
Medium Base

Project: _____
 Fixture Type: _____ Quantity: _____
 Customer: _____

Specifications

Material:
 RLM shades are constructed of heavy duty spun aluminum. Wall back plate and ballast housing are cast aluminum. All fasteners are stainless steel. Inside of shade is reflective white finish for all colors except galvanized paint finish. Screw hardware may not match paint.

Glass:
 Choice of clear, frosted or prismatic glass.

Electrical:
 Medium Base Socket, 150w Maximum or GU24 Socket.
 Approximately 12" of pull wire extends from fixture. Additional pull wire provided for post mount arms and wall mounts


Certifications:
 Cord mounts are UL Listed for dry locations. Arm mount, stem mount and wall mount are UL Listed for wet locations.



Finish:
 A polyester powder coat high quality finish is electro-statically applied and baked at 430° for exceptional durability and color retention. Products undergo an intensive five-step cleansing and pretreatment process for maximum paint adhesion.

Marine grade finish provides superior salt, humidity and UV protection. This coating withstands up to 3000 hours of continuous salt spray, comes with a 5-year warranty and is available in either a textured or gloss surface.

Modifications:
 Consult factory for custom or modified designs.



Catalog Number	1	2	3	4	5
	W512				

1 LIGHT SOURCE & WATTAGES	
GU24 (GU24 Socket)	MB (Medium Base Socket, 150w Max)
2 MOUNTING SOURCES*	
Arm Mounts (Cast back plate included)	
E3 E4 E6 E8 E9 E13 E15 E18 E24 E25 E36 E39	
Wall Mounts	
WM35 WM41 WM55 WM318	
Post Mounts	
PM10 PM20 PM30 PM40 PM50 PM319	
Cord Mounts** (Includes 1" x 5 3/8" canopy) (See page 3 for color cord style)	
SJT Cord	
BLC (6' Black SJT Cord)	WHC (6' White SJT Cord)
Solid Fabric Colored Cords	
BLSF (6' Black)	ORSF (6' Orange)
GYSF (6' Gray)	LGSF (6' Lime Green)
CHSF (6' Chocolate Brown)	KGSF (6' Kelly Green)
WHSF (6' White)	CBSF (6' Cobalt Blue)
CASF (6' Cardinal)	SBSF (6' Sky Blue)
Patterned Fabric Colored Cords	
BWHPF (6' Black/White Houndstooth)	BIHPF (6' Brown/Ivory Houndstooth)
GYCPF (6' Gray/Citrus Yellow)	MOSPF (6' Magenta/Orange Stripe)
NMTPF (6' Navy Mini Tweed)	
Glossy Fabric Colored Cords	
GMGF (6' Gun Metal)	SSGF (6' Sterling Silver)
CPGF (6' Copper Penny)	BRGF (6' Bronze)
GOGF (6' Gold)	
Cable Mounts** (Includes 1" x 5 3/8" canopy)	
SSC-BLC (Stainless steel cable with 6' Black SJT Cord)	
SSC-WHC (Stainless steel cable with 6' White SJT Cord)	
SCC-XXXX (Stainless steel cable with 6' Color cord. Replace XXXX with color cord designation above)	
**Cord/Cable Canopy finish will match fixture finish.	
Stem Mounts (Includes STC Flat Canopy)	
1/2" (13/16" OD) Rigid 3/4" (1" OD) Rigid Stems	
2ST6 2ST12 2ST18	3ST6 3ST12 3ST18
2ST24 2ST36 2ST48	3ST24 3ST36 3ST48
2ST60 2ST72 2ST96	3ST60 3ST72 3ST96
*Arm mount, Wall mount or Stem finish will match fixture finish.	

3 GLASS & GUARD*	
Up to 100w Options	
100GLCL (Clear Glass)	100GLFR (Frosted Glass)
100GLPR (Prismatic Glass)	100GLCLGUP (Clear Glass & Small Wire Guard)
100GLFRGUP (Frosted Glass & Small Wire Guard)	100GLPRGUP (Prismatic Glass & Small Wire Guard)
100GLCLGUPC (Clear Glass & Cast Guard)	100GLFRGUPC (Frosted Glass & Cast Guard)
100GLPRGUPC (Prismatic Glass & Cast Guard)	100GLGUP (Small Wire Guard with No Glass)
100GLGUPC (Cast Guard with No Glass)	AC (Stipple Glass Acorn)
100GLBG (White Ball Glass)	
*Cast and Wire Guard Finish will match fixture finish.	

5 FINISHES	
*Marine Grade Finish has an additional charge	
Standard Colors	Premium Colors
Standard Grade	Premium Grade
Marine	Marine Grade*
Aspen Green 10 10M	High Gloss Black 01 01M
Cantaloupe 11 11M	Arctic Silver 14 14M
Lilac 12 12M	Candy Apple Red 64 64M
Putty 13 13M	Cobalt Blue 65 65M
Raw Unfinished 40 NA	Caramel 66 66M
Black 41 41M	Butterscotch 67 67M
Forest Green 42 42M	Black Silver 68 68M
Bright Red 43 43M	Gunmetal Gray 69 69M
White 44 44M	Mayan Gold 79 NA
Bright Blue 45 45M	Textured Desert Stone 80 80M
Sunny Yellow 46 46M	Extreme Chrome 81 81M
Aqua Green 47 47M	Graystone 82 82M
Galvanized 49 NA	Oil Rubbed Bronze 83 83M
Navy 50 50M	Carbon Graphite 96 96M
Architectural Bronze 51 51M	
Patina Verde 52 52M	
Copper Clay 53 53M	
Silver 56 56M	
Black Verde 61 61M	
Painted Chrome 70 70M	
Painted Copper 71 71M	
Textured Black 72 72M	
Matte Black 73 73M	
Textured Architectural 76 76M	
Textured White 77 77M	
Textured Silver 78 78M	
Consult Factory for additional paint charges and availability.	

WARRANTY
 See www.ANPlighting.com for complete fixture warranty.

Project: _____
 Fixture Type: _____ Quantity: _____
 Customer: _____

ARM MOUNTS | Dimensions are Projection x Height | CB included with all arms



WALL MOUNTS | Dimensions are Projection x Height **POST MOUNTS** | Dimensions are Projection x Height



ACCESSORIES



GLASS & GUARDS
UP TO 100W MAX

Glass Legend: **CL** = Clear **FR** = Frosted **PR** = Prismatic
100 = Small **200** = Large

Glass Only (6 1/2" H X 4 1/8" W)	
	100GLCL 100GLFR 100GLPR
Glass with Cast Guard (7 1/2" H X 4 1/8" W)	
	100GLCLGUPC 100GLFRGUPC 100GLPRGUPC
Glass with Wire Guard (7 1/2" H X 4 1/8" W)	
	100GLCLGUP 100GLFRGUP 100GLPRGUP
Guards Only (7 1/2" H X 4 1/8" W)	
	100GLGUPC (Cast Guard)
	100GLGUP (Wire Guard)
	AC (Acorn Glass -- Clear Stipple Only)
	100GLBG (6" White Ball Glass)

Project: _____
 Fixture Type: _____ Quantity: _____
 Customer: _____

All fabric Color Cords are three conductor, 1/4" diameter

Solid Fabric Colored Cords



BLSF | Black



GYSF | Gray



CHSF | Chocolate Brown



WHSF | White



CASF | Cardinal



ORSF | Orange



LGSF | Lime Green



KGSF | Kelly Green



CBSF | Cobalt Blue



SBSF | Sky Blue

Patterned Fabric Colored Cords



BWHPF | Black/White Houndstooth



BIHPF | Houndstooth



GYCPF | Gray/Citrus Yellow



MOSPF | Magenta/Orange Stripe



NMTPF | Navy Mini Tweed

Glossy Fabric Colored Cords



GMGF | Gun Metal



SSGF | Sterling Silver



CPGF | Copper Penny



BRGF | Bronze



GOGF | Gold