

Weight: 5.5 lbs

3

24 1/8"

Material:
RLM shades are constructed of heavy duty spun aluminum. Wall back plate and ballast housing are cast aluminum. All fasteners are stainless steel. Inside of shade is reflective white finish for all colors except galvanized paint finish. Screw hardware may not match

Project: Fixture Type:

Customer:

Specifications

Choice of clear, frosted or prismatic glass

Medium Base Socket, 200w Maximum or

GU24 Socket.
Approximately 12" of pull wire extends from fixure. Additional pull wire provided for post mount arms and wall mounts. **ctrical**: Medium Base Socket, 200w Maximum

Certifications:

Cord mounts are UL Listed for dry locations Arm mount, stem mount and wall mount are UL Listed for wet locations. Catalog Logic W524 - MB -

RLM

Light

Source

CBC

PC

sc

SO

Mounting

Source

GR24 (24" Wire Grill)*

(Scroll for Arms)*

(Square Back Plate)*

(Adjustable Locking Swivel)* (Turn Buckle Kit)*

*Accessory finish will match fixture finish.

Quantity:

🛖 🌉 🕪 🔀 Illuminating

Finish: A polyester powder coat high quality finish is electro-statically applied and baked at 430° for exceptional durability and color retention. Products undergo an intensive five-step cleansing and pretreatment process for maximum paint adhesion.

Marine grade finish provides superior salt, humidity and UV protection. This coating withstands up to 3000 hours of continuous salt spray, comes with a 5-year warranty and is available in either a textured or gloss

Modifications:

Consult factory for custom or modified designs.

E6 _ 200GLCL _ CBC _ 72

Accessories Finish

Glass &

Guards

ACCESSORIES*

(Cast back plate Spun Alum Cover)*

(Button Photo Cell) Remote Only

(Sloped Ceiling Mount Canopy, 20° Max)*

W524 200w Max

Catalog Number

Medium Base

1/2" (13/16" OD) Rigid

2ST6 2ST12 2ST18

2ST24 2ST36 2ST48

2ST60 2ST72 2ST96

Style 1 2 3 4 5 W524

GLASS & GUARD*

RCE & WATTAGES				
Socket, 200w Max)				
NG SOURCES*				
ast back plate included)				
2 E18 E25				
all Mounts				
ost Mounts				
PM50 PM319				
Cord Mounts** (Includes 1" x 5 3/8" canopy) (See page 3 for color cord style)				
SJT Cord				
WHC (6' White SJT Cord)				
ric Colored Cords				
ORSF (6' Orange)				
LGSF (6' Lime Green)				
KGSF (6' Kelly Green)				
CBSF (6' Cobalt Blue)				
SBSF (6' Sky Blue)				
abric Colored Cords				
BIHPF (6' Brown/Ivory Houndstooth)				
MOSPF (6' Magenta/Orange Stripe)				
oric Colored Cords				
SSGF (6' Sterling Silver)				
BRGF (6' Bronze)				
ole Mounts** 1" x 5 3/8" canopy)				
able with 6' Black SJT Cord)				
able with 6' White SJT Cord)				
cable with 6' Color cord. with color cord designation above)				
will match fixture finish.				
Stem Mounts (Includes STC Flat Canopy)				

3/4" (1" OD) Rigid Stems

3ST6 3ST12 3ST18

3ST24 3ST36 3ST48 3ST60 3ST72 3ST96

*Arm mount, Wall mount or Stem finish will match fixture finish.


	Up to 100w Options			
100GLCL	(Clear Glass)			
100GLFR	(Frosted Glass)			
100GLPR	(Prismatic Glass)			
100GLCLGUP	(Clear Glass & Small Wire Guard)			
100GLFRGUP	(Frosted Glass & Small Wire Guard)			
100GLPRGUP	(Prismatic Glass & Small Wire Guard)			
100GLCLGUP	C (Clear Glass & Cast Guard)			
100GLFRGUP	C (Frosted Glass & Cast Guard)			
100GLPRGUP	C (Prismatic Glass & Cast Guard)			
100GLGUP	(Small Wire Guard with No Glass)			
100GLGUPC	(Cast Guard with No Glass)			
AC	(Stipple Glass Acorn)			
100GLBG	(White Ball Glass)			
Up to 200w Options				
200GLCL	(Clear Glass)			
200GLFR	(Frosted Glass)			
200GLPR	(Prismatic Glass)			
200GLCLGUP	(Clear Glass & Large Wire Guard)			
200GLFRGUP	(Frosted Glass & Large Wire Guard)			
200GLPRGUP	(Prismatic Glass & Large Wire Guard)			
200GLCLGUP	C (Clear Glass & Large Cast Guard)			
200GLFRGUP	C (Frosted Glass & Large Cast Guard)			
200GLPRGUP	C (Prismatic Glass & Large Cast Guard)			
200GLGUP	(Large Wire Guard with No Glass)			
200GLGUPC	(Large Cast Guard with No Glass)			
*Cast and Wire	Guard Finish will match fixture finish.			


See www.ANPlighting.com for complete fixture warranty

5			SHES	
*Ma		Finish h	as an additional charge	
Standard Colors	Standard Grade	Marine	Premium Colors	Premium Grade
Aspen Green	10	10M	High Gloss Black	01
Cantaloupe	11	11M	Arctic Silver	14
Lilac	12	12M	Candy Apple Red	64
Putty	13	13M	Cobalt Blue	65
Raw Unfinished	40	NA	Caramel	66
Black	41	41M	Butterscotch	67
Forest Green	42	42M	Black Silver	68
Bright Red	43	43M	Gunmetal Gray	69
White	44	44M	Mayan Gold	79
Bright Blue	45	45M	Textured Desert Stone	80
Sunny Yellow	46	46M	Extreme Chrome	81
Aqua Green	47	47M	Graystone	82
Galvanized	49	NA	Oil Rubbed Bronze	83
Navy	50	50M	Carbon Graphite	96
Architectural Bronze	51	51M		
Patina Verde	52	52M		
Copper Clay	53	53M		
Silver	56	56M		
Black Verde	61	61M		
Painted Chrome	70	70M		
Painted Copper	71	71M		
Textured Black	72	72M		
Matte Black	73	73M		
Textured Architectural	76	76M		
Textured White	77	77M		
Textured Silver	78	78M		

5	larine Grade		SHES nas an additional charge		
Standard Colors	Standard Grade	Marine	Premium Colors	Premium Grade	Marine Grade*
Aspen Green	10	10M	High Gloss Black	01	01M
Cantaloupe	11	11M	Arctic Silver	14	14M
Lilac	12	12M	Candy Apple Red	64	64M
Putty	13	13M	Cobalt Blue	65	65M
Raw Unfinished	40	NA	Caramel	66	66M
Black	41	41M	Butterscotch	67	67M
Forest Green	42	42M	Black Silver	68	68M
Bright Red	43	43M	Gunmetal Gray	69	69M
White	44	44M	Mayan Gold	79	NA
Bright Blue	45	45M	Textured Desert Stone	80	80M
Sunny Yellow	46	46M	Extreme Chrome	81	81M
Aqua Green	47	47M	Graystone	82	82M
Galvanized	49	NA	Oil Rubbed Bronze	83	83M
Navy	50	50M	Carbon Graphite	96	96M
Architectural Bronze	51	51M			
Patina Verde	52	52M			
Copper Clay	53	53M			
Silver	56	56M			
Black Verde	61	61M			
Painted Chrome	70	70M			
Painted Copper	71	71M			
Textured Black	72	72M			
Matte Black	73	73M			

Project:	
Fixture Type:	Quantity:
Customer:	









Project:	
Fixture Type:	Quantity:
O	

All fabric Color Cords are three conductor, 1/4" diameter





